


2021-2022




TOOL CATALOGUE

**PROFESSIONAL TOOLS FOR CAR WRAPPING,
WINDOW TINTING AND PPF APPLICATIONS**



- CLEANING
- CUTTING
- INSTALLATION
- OTHER TOOLS





SMT-1100 | AVERY SURFACE CLEANER

Looking for a universal cleaner that leaves no residue on the surface? Avery Surface Cleaner is a high-performance cleaner that enables you to remove all kinds of residue in one single action, including dirt, wax, tectyl, light silicone, cock-pit sprays, and more. A highly user-friendly cleaner, it can also be used for removing small adhesive residues from surfaces.



SMT-1101 | AVERY ADHESIVE REMOVER

Never said that this stuff is cheap, but it works. The Avery Adhesive Remover is a high-performance cleaner designed to make sure that substrates are adhesive-free when graphics are removed.



SMT-1113 | AVERY SUPREME WRAP CARE CLEANER / 946ML

A general cleaning agent for regular use, which removes dust, light dirt and fingerprints from the film.



SMT-1114 | AVERY SUPREME WRAP CARE POWER CLEANER / 946ML

This is a strong cleaning agent for difficult stains, such as bird droppings, road grime and tree sap.



SMT-1115 | AVERY SUPREME WRAP CARE SEALANT / 946ML

It creates a protective layer on the film surface, therefore stains, bird droppings and tree sap can be removed more easily.



SMT-1125 | FUSION EPIC ORANGE, 3,8L

This adhesive remover was developed specifically for adhesives used on window films, paint protection films and vinyls. Simply spray to the desired area and watch Fusion Epic Orange break down the adhesive for fast & easy removal! You can also dilute the formula by adding water. The formula has no alcohol, ammonia and formaldehyde, neither oils to avoid complications when reinstalling new materials.



SMT-1126 | HEXIS SHAG CLEANER 1L

Before installing Hexis wrapping films, use the Hexis Shag Cleaner, as it is the only cleaning agent that is compatible with the Hexis adhesive.



SMT-1130 | ORGANIC SURFACE CLEANER 0,75L

The Organic Cleaner products have been developed to assure the least exposure to harmful chemicals of our fellow installers. Our aim when developing the Organic Cleaner family was to find a much more installer friendly solution for cleaning. A concentrated surface cleaner with high ethanol content for removing severe contamination. Evaporates quickly leaving a perfect surface prior to installation.



SMT-1131 | ORGANIC FILM CLEANER 0,75L

A 1:1 diluted version of the concentrate, mainly used for cleaning the film surface after installation or to clean surfaces prior to wet application.




SMT-1132 | ORGANIC SURFACE CLEANER 5L

A more economical 5L version of the SMT-1130 Organic Surface Cleaner.



SMT-1133 | TAP

This tap will make it easier to pour the cleaning liquid from 5L Organic Surface Cleaner cans.



SMT-1134 | PUMP

This pump will make it easier to pour the cleaning liquid from 5L Organic Surface Cleaner cans.



SMT-1119 | YELLOTOOLS NANOEX 250ML

PH-neutral cleaning liquid that removes surface coatings which would deteriorate the films' adhesive performance.



SMT-1200 | VICTORY SCRAPER, STRAIGHT, 150 MM

The Victory scraper is made in Polypropylene reinforced by glass fiber and is equipped with a double edge carbon steel blade. When the scraper is not in use the blade is protected by an ergonomic cover.



SMT-1201 | VICTORY SCRAPER, 80 MM

8 cm wide scraper for window cleaning, specifically developed for automotive application, comes with carbon steel blade.



SMT-1202 | CARBON STEEL BLADE

A double-edge, economical carbon steel blade. Replacement blades for SMT-1200.



SMT-1205 | CARBON STEEL BLADE (BOX OF 10) 8 CM

Double-bladed carbon steel blade for product SMT-1201.



SMT-1210 | HEAVY DUTY RAZOR

Metal cased, 4-cm glass scraper.



SMT-1213 | 1" BLADE AID PLASTIC SCRAPER

Plastic handle for any 1" blade.



SMT-1212 | PLASTIC RAZOR BLADES

Replacement blade for SMT-1210. Perfect for removing adhesive and leftover film from surfaces that can be easily damaged. Pack of 100.



SMT-1407 | HEXIS SOFT SCRAPER

10 soft scrapers for cleaning windows before application.



SMT-1406 | HEXIS RUBBER

The rubber will allow you to clean surfaces with great efficiency. Removes burnt-in dust without damaging the paint. Always use it in combination with an aqueous solution. Store in water after use.



SMT-1307 | FUSION CHANNEL SQUEEGEE BLUE 15CM

High quality rubber blade for cleaning squeegeeing, 15 cm long, blue color.

Durometer: 94.



SMT-1308 | FUSION CHANNEL SQUEEGEE BLUE 45CM

High quality rubber blade for cleaning, 45 cm long, blue color.

Durometer: 94.



SMT-1211 | CARBON STEEL BLADE

Carbon steel single edge blade into SMT-1210 and SMT-1213. Pack of 100.



SMT-3141 | GATOR BLADE I

Plastic tool for film removal, with an ergonomic handle.



SMT-3142 | GATOR BLADE II


Plastic tool for film removal, with an ergonomic handle



SMT-1309 | FUSION CHANNEL SQUEEGEE ORANGE 15CM

High quality rubber blade for cleaning, 15 cm long, orange color


Durometer: 85.



SMT-1310 | FUSION CHANNEL SQUEEGEE ORANGE 45CM

High quality rubber blade for cleaning, 45 cm long, orange color.

Durometer: 85.



SMT-1302 | UNGER SQUEEGEE AND CHANNEL 15 CM

Stainless steel channel and soft rubber squeegee blade, ca. 15 cm.

SMT-1305 | UNGER SQUEEGEE AND CHANNEL 20 CM

Stainless steel channel and soft rubber squeegee blade, ca. 20 cm.

SMT-1306 | UNGER SQUEEGEE AND CHANNEL 30 CM

Stainless steel channel and soft rubber squeegee blade, ca. 30 cm.



SMT-1303 | UNGER SQUEEGEE AND CHANNEL 45 CM

Stainless steel channel and soft rubber squeegee blade, ca. 45 cm.

SMT-1304 | REPLACEMENT SQUEEGEE BLADE 140"

Replacement blades for unger squeegee channel, used for window cleaning, not installation.

SMT-1301 | ERGONOMIC UNGER PRO HANDLE

Features a spring mechanism for quick changing of blades. Very comfortable handle to work with.



SMT-1300 | UNGER PRO HANDLE

Universal, rubber-coated squeegee handle. It works with many different squeegee blade attachments: Clear Max, Blue Max, Blue Squeegee Blade and the regular squeegee blade with the soft rubber insert in the stainless steel channels.

**SMT-1404 | MOLDING & TRIM REMOVAL KIT 5 PIECES
SMT-1405 | MOLDING & TRIM REMOVAL KIT 11 PIECES**

Plastic molding and trim removal kit, 5 / 11 pieces.



SMT-3267 | YELLOTOOLS YELLOBLADE ORANGE

Well-slideable scraper blade that is soft enough not to damage the paintwork. It fits perfectly into the SMT-3266 handle.

SMT-3268 | YELLOTOOLS YELLOBLADE HANDLE MINI

If you need to remove a small sign or something from a hard-to-reach area, this small tool will help greatly.

SMT-3269 | YELLOTOOLS YELLOBLADE MINI

A blade for scraping smaller text designs. It fits perfectly into SMT-3268 and it doesn't damage the paintwork. This tool has 4 edges.




SMT-3266 | YELLOTOOLS YELLOBLADE HANDLE

Finally, a handled squeegee for comfortable and fast vinyl removal.

SMT-1400B | 3M MICROFIBRE CLOTH

Washable, reusable and antistatic with strong dust absorbability. Available in different colours so you can easily distinguish between cloths used for different workphases.

- SMT-1400G
- SMT-1400R
- SMT-1400Y




SMT-1410 | DOORHANDLE REMOVER

The DoorHandle Remover is an indispensable tool for removing door handles.

SMT-1411 | GRABHANDLE REMOVER

This multitool is indispensable when it comes to removing handles and many other attachments on vehicles.



SMT-2408 | YELLOTOOLS SAFETYRULER CLASSIC 50 CM
SMT-2409 | YELLOTOOLS SAFETYRULER CLASSIC 150 CM

Aluminium ruler with special design that protects the fixing hand from getting cut. The bottom is coated with rubber in order to avoid sliding of the ruler.



SMT-2110 | NT PMGA-EVO 2

Don't like OLFA? Ok, we still have it for you. 9 mm utility knife with stainless steel casing.



SMT-2100 | OLFA SILVER 2

The universal knife of any tint or wrap shop with stainless steel handle. Designed for either left or right-handed use.



SMT- 2101 | OLFA XA-1

An ergonomic knife with a comfortable rubber grip.



SMT- 2102 | OLFA SPC-1

Always leaving your knife in the car? Then perhaps you should try this economy knife with plastic handle.



SMT- 2103 | OLFA ES-1/GREEN

Caring for the environment? All plastic parts made from 100% recycled materials

HINT: This knife has a thick plastic casing making it slidable on vinyl. This is very useful for wrapping jobs.



SMT-2104 | OLFA 180 BLACK

Steel-cased knife used for light duty cutting jobs.



SMT-2105 | OLFA PA-2


Never run out of blades. 9 mm multi-blade knife, it holds up to 5 blades. That's 65 new cutting segments per load.

HINT: Being up on the scaffold or hanging on a rope, it can be very useful if you have a multi-blade knife in your hands.



SMT-2110 | NT A-300GR

Don't like OLFA? Ok, we still have it for you. 9 mm utility knife with stainless steel.






SMT-2111 | NT PRO A-1

Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control.



SMT-2114 | NT A553P KNIFE

Knife with a plastic casing which is well-slidable and which does not damage the car body. Multiple blades can be fixed in the handle, so you do not have to worry about changing the blades.




SMT-2200 | COBRA BLADE 60°

Special 60° titanium blade from Solingen. It is the sharpest blade in the industry, specifically recommended for cutting PPF, and also to have any cut more aesthetic, precise and professional. Pack of 10.



HINT: Many installers like this blade as it will not wrinkle the film even when it's hot. Once you try it, you can forget about all other blades.



SMT-2201 | COBRA BLADE 30°

30° blade that makes it possible to cut with very gentle pressure, and because of its small angle, also to easily cut in a curve. Primarily recommended for precision cuts. Pack of 10



HINT: Great for small precision cuts during car wraps. For longer cuts, use the larger angle blade instead.



SMT-2124 | HEXIS SHAGCUT LINER KNIFE

The perfect knife to prepare car wrapping and decorative films, designed specifically to cut the liner without damaging the adhesive or the film itself.



SMT-2123 | BODYGUARD KNIFE TEFLON

The perfect knife to prepare car wrapping and decorative films, designed specifically to cut the liner without damaging the adhesive or the film itself. This teflon-coated knife is slidable along the adhesive without leaving any marks or lines. Replacement blades: SMT-2208



SMT-2208 | YELLOTOOLS TITANBLADES BODYGUARD

Extra sharp titanium edge blades from Yellotools, suits SMT-2123, 10 pcs/box.



SMT-2205 | OLFA SS BLADE

Standard-duty stainless steel snap-off replacement blades. 50 blades per pack.



SMT-2120 | AVERY SNITTY

The Snitty is a mini-slitting tool, used for cutting self-adhesive material.



SMT-2204 | AVERY DENNISON SNITTY BLADE (BOX OF 10)

Blade for Avery Snitty



SMT-2206 | OLFA EXCEL BLACK CS BLADE

Exclusively designed for maximum cutting performance. 50 blades per pack.



SMT-2130 | YELLOTOOLS FINGERTIP KNIFE

Special knife for the fingers that makes precision cuts possible.



SMT-2402 | YELLOTOOLS BLADEBREAKER II

Do away with pieces of blades lying around, this tool will keep them safely in one place.




SMT-2209 | BLADE FOR SMT-2110, 10 PCS/BOX, BA15P

NT Cutter, a Japanese premium manufacturer's 30° angle blade with reinforced edge.

SMT-2210 | BA-50SS STAINLESS STEEL BLADE (BOX OF 50)

NT Cutter, a Japanese premium manufacturer's stainless steel blade for car window tinting, it is for those who are not delighted with Olfa.



SMT-2417 | BLADEBREAKER PRO

The blade breaking edge has been enlarged, breaking cutter blades is much easier. The rubber coating allows the blade box to withstand a bump or fall easily. There is a small detachable magnetic plate in the lower vessel area of the snap-off blade box. The magnet holds the small demolition residues and tips on the bottom of the blade box.

SMT-2403 | YELLOTOOLS WRAPSLIP CUT CLIPPER

A tool designed to make parallel cuts along curves.



SMT-2412 | SENSORCUT FLEXI

With this car wrapping tool you get a PDC sensor template, with which you can easily cut out diameters of 13-25mm.

SMT-2413 | WRAP DEFENDER

A special knife that will change the way you work and reduce damage to vehicle paintwork, sealing rubbers or unpainted attachments.



SMT-2300 | KNIFELESS TAPE FINISH LINE 50M

Finish Line Knifeless Tape is a product that can be used to cut vinyl graphic films and vehicle wrap films without using a knife. Used for most wrap applications. Conformable around bumpers, door handles, mirrors, etc.

SMT-2302 | KNIFELESS TAPE DESIGN LINE 50M

Allows stretching, follows contours and turns easily in any direction. Excellent for creating designs & stripes with no extra steps required to achieve a perfect cut.

SMT-2305 | KNIFELESS TAPE PRECISION LINE 50M

Precisely and efficiently cut through graphic film without a knife and without surface damage to create a clean cut.



SMT-2404 | YELLOTOOLS CUTGRIP


Universal handle for knives, for both the left- and right-handed.

SMT-2405 | YELLOTOOLS WRAPBEND-IT FLEXIBLE WIRE

It copies the contours and outer dimensions of shapes and transfer them to the film.

SMT-2410 | METAL TRIANGLE RULER

Triangle-shaped metallic rule with 45 and 90° corners and built in circles.



SMT-2406 | YELLOTOOLS FINELINE 6MM x 33M

Matt polipropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.

SMT-2407 | YELLOTTOLS FINELINE MASKING TAPE 3MM x 33M

Matt polipropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.



SMT-3100 | AVERY SQUEEGEE PRO

The Squeegee Pro is a medium flex squeegee, and a highly effective tool for flat or slightly curved surfaces. A great choice for vehicle wraps and day-to-day applications like wall panels.

SMT-3101 | AVERY SQUEEGEE PRO FLEXIBLE

The Squeegee Pro Flexible is a softer and more flexible version of the SMT-1300, an excellent choice for curved applications such as wheel arches and car bonnets / bumpers.

SMT-3102 | AVERY SQUEEGEE PRO RIGID

The Squeegee Pro Rigid is the most rigid squeegee in Avery Dennison's collection, specially designed for flat application of thick and rigid high-performance products, such as Conform Chrome films.



SMT-3103 | 3M GOLD

3M Gold Squeegee is used for applying window film, vinyl graphics, paint protection films and vehicle wrap films. The Gold card is less flexible than the SMT-3104.

SMT-3104 | 3M BLUE

3M Blue Squeegee is used for applying window film, vinyl graphics, paint protection films and vehicle wrap films. The Blue card is more flexible than the SMT-3103.

SMT-3110 | NYLON SQUEEGEE

This nylon-coated, extra durable squeegee ideal for most medium and heavy weight films, graphics, vinyl, tapes.



SMT-3121 | UNIVERSAL SQUEEGEE

Basic, 4" bondo card for multiple uses. This universal card features a firm flex and can be used on window film, vinyl graphics, paint protection films and vehicle wraps.

SMT-3111 | ECO SQUEEGEE

A high-quality, economical squeegee for general use. Ideal for light to medium weight graphic film, vinyl, tape, and pressure-sensitive applications.

SMT-3126 | GREEN SOFT FLEX SQUEEGEE

A unique squeegee made from the mixture of rubber and plastic, with outstanding flexibility. Especially applicable with curved surfaces.



SMT-3146 | TEFLON CARD BLUE
SMT-3173 | TEFLON CARD PINK
SMT-3174 | TEFLON CARD SILVER
SMT-3175 | TEFLON CARD RED

SMT-3176 | TEFLON CARD GOLD
SMT-3107 | TEFLON CARD BLACK
SMT-3106 | TEFLON CARD WHITE

The Fusion Hard Cards come in 7 different colors. The colors are from most flexible to least flexible, Blue, Pink, Silver, Black, Red, White and Gold. All of our Hard Cards are infused with slip agents to help them glide across their working surfaces. The Blue and Pink are designed to be softer than the hard coating on most window films so that the tool will wear instead of the film.



SMT-3172 | FUSION FIDGET 3 PACK

3 small squeegees with different firmness offering a solution for nearly all issues. The white is the most firm, followed by pink and the soft blue. The blue and the pink squeegees are softer than scratch resistant coatings, they wear off before the film does.



SMT-3105 | LIL CHIZLER

Ideal for removing decals, film or adhesive from sensitive surfaces. Used for pressing down small film creases or air bubbles.

HINT: You can also use this tool for cleaning barbeque, no kiddin'.

SMT-3109 | THE CHIZZLER

One sized polycarbonate tool has proven invaluable for removing materials and applying others in tight corners.

HINT: Has a rigid edge and harder than the Lil Chizler, not as sharp, but much more durable.

SMT-3140 | DURA CHISEL

Plastic card with a strengthened edge for film removal. Similar to Lil Chizler but with a thicker edge.



SMT-3145 | YELLOW CHISLER SOFT

Small, very flexible squeegee for hard-to-reach spots



SMT-3113 | THE CONQUERER

The Conquerer is the original corner reach tool. Features a soft squeegee blade along one edge and point hard card tips on the ends making it a versatile staple to any tool kit.



SMT-3114 | BLUE CONQUERER

Similar to the original Conquerer (SMT-3113) with a slightly harder durometer for more squeegeeing power.



SMT-3186 | FELTBLOC 050S FELT SQUEEGEE

The soft felt is designed to avoid scratching. Recommended for paint protection or vinyl graphic installations.




SMT-3119 | EZ REACH

With smooth edges and a precision point, this tool will enable you to lay down the film and push out creases in the tightest areas.



SMT-3120 | GREEN CONTOUR

Designed to match all those concave surfaces installers see every day. A great fit for window film, paint protection or vinyl installs. The elongated triangular shape gets into all those hard-to-reach areas.




SMT-3125 | CONTOUR YELLOW

A universal squeegee which can be used for any film. It is especially popular with window tinters.


SMT-3143 | PLATINUM CONTOUR

Universal squeegee, popular with window film installers



SMT-3112W | GASKET PUSH STICK

This tool is used for pushing down door window gaskets to assist in film installation on roll down windows.



SMT-3112B | GASKET PUSH STICK, BLUE

This tool is used for pushing down door window gaskets to assist in film installation on roll down windows.



SMT-3160 | YELLOTOOLS ALLSTAR BLUE SMT-3161 | YELLOTOOLS ALLSTAR GOLD

This larger squeegee can be held deeper in the palm, therefore strains your joints less with longer jobs. The curved edge helps to install without wrinkles, since the squeegee contacts the film always at 30 degrees.



SMT-3178 | PROBASIC GOLD 4" SQUEEGEE

The 4" Squeegee for signmaking teflon refined for higher performance with a special, smooth-sliding quality, medium-soft.



SMT-3179 | PROBASIC BLUE 4" SQUEEGEE

The 4" squeegee for signmakers long-lasting, durable plastic, rather soft.



SMT-3182 | PPF SANDWICH 4" SQUEEGEE

This squeegee, which is actually unusually thin for PPF or tinted film applications, is nevertheless stable enough to exert optimum pressure on the squeegee edge.



SMT-3184 | YELLOTOOLS APE DUO RED SQUEEGEE

The squeegee fits perfectly in your hand and you feel comfortable with it right away. The two-layer construction gives stability and flexibility at the same time. Different edges of 30, 45 and 90 degrees allow different pressures to be applied. When window tinting, the liquid can be optimally worked out of the film and by simply turning the squeegee, the pressure can easily be increased. DuoGreen is harder, DuoRed is the softer version of this professional squeegee.

SMT-3185 | YELLOTOOLS APE DUO GREEN SQUEEGEE

SMT-3188 | PINK PPF SQUEEGEE

This pink squeegee is the new star of the industry, specifically recommended for paint protection film applications. Thanks to its special edge, squeegeeing is perfect.



SMT-3258 | MAGNUM RED LINE SQUEEGEE BLADE

This giant squeegee was developed to make tinting easier on hard-to-reach rear windshields. Paired with the Fusion Auto Stretch handle, it is currently the most effective combination in the industry.

SMT-3296 | FUSION AUTO STRETCH COMBO HANDLE & SQUEEGEE

The newest squeegee from Fusion Tools, developed specifically for hard-to-reach rear windshields. Compared to this, all previous solutions are just toys.



SMT-3314 | APE FOAM POTION 1LITER

Perfectly coordinated bonding aid for paint protection films. Using this pH-neutral liquid for the installation of PPF is unparalleled! Biodegradable, skin-friendly and clinically tested. It allows fast adhesion after scraping; it contains no alcohol; it can be washed out very easily. Great to use with an Ape Duo Green or Ape Duo Red squeegee.

SMT-3315 | APE APPLE POTION 1LITER

Perfectly coordinated bonding aid for paint protection films. This liquid allows the film to "glide" perfectly on the one hand and on the other hand to fix and adhere quickly if desired. Even the removal of the film after a short time is possible without problems and makes possible corrections easier. Biodegradable, skin-friendly, pH-neutral, and clinically tested. Great to use with an Ape Duo Green or Ape Duo Red squeegee.



SMT- 3168-15 | PPF HORNET 15CM
SMT- 3168-10 | PPF HORNET 10CM

SMT- 3168-5 | PPF HORNET 5CM
SMT- 3168-1,2 | PPF HORNET 1,2CM


With the appearance of hydrophobic paint protection films, installers are in need of softer and more sliding squeegees. From this realization was PPF Hornet born, 2 softer squeegees molded on a harder carrier. Available in 4 sizes.



SMT- 3169-15 | FUSION HYBRID 15CM
SMT- 3169-10 | FUSION HYBRID 10CM


SMT- 3169-5 | FUSION HYBRID 5CM
SMT- 3169-1,2 | FUSION HYBRID 1,2CM

2 ply squeegee developed for installing paint protection films. Ideal both for non coated and clear coated paint protection films.




SMT-3177 | PPF CUT N TUCK

A pack of four flexible squeegees of different shapes (triangle and rectangle). Two different degrees of stiffness, specifically for PPF materials and hard-to-reach spots.



SMT-3215 | SCRUBBER

With the help of this tool, you can reach behind speakers and brake lights, and also remove adhesive residue from the lower section of curved rear windows.



SMT-3224 | THE REACH SQUEEGEE

For sedan cars, squeegeeing at the bottom of the rear windshield is a very hard task. This revolutionary tool makes it so far the easiest to finish the material at hard-to-reach spots.




SMT-3162 | YELLOTOOLS PROWRAP BETTY

Thanks to this tool, the squeegee will meet the film at the right angle at all times.



SMT-3163 | YELLOTOOLS PROWRAP BETTY S40

Thanks to this tool, the squeegee will meet the film at the right angle at all times.




SMT-3164 | YELLOTOOLS YELLOMINI HANG-LOOSE 45

Squeegee for hard-to-reach areas.



SMT-3165 | YELLOTOOLS YELLOMINI HANG-LOOSE 90

Squeegee for hard-to-reach areas.



SMT-3166 | YELLOTOOLS ALLSTAR BLUE

Squeegee for hard-to-reach areas with a unique shape.



SMT-3167 | YELLOTOOLS YELLOMINI GOLD

Squeegee for hard-to-reach areas with a unique shape.



MT-3200 | 5-EDGED TOOL

The 5-Way Tool is great as a trim guide or wrap it in a paper towel to use it as a „bump tool“ to get water out

ProToolsNow.com

ONE GREAT SITE FOR TOOLING AROUND

Pro Tools Now, designed by Bob Williams, has been helping installers since 1991. Every tool is designed personally by **Bob, who has been an installer himself for 30 years**, which means his tools are born out of practical needs. **Pro Tools Now is constantly developing as automotive shapes become more complex; at the same time**, beside tools for window films, PPF and wrapping accessories have also been introduced.



SMT-3427 | SUNNY TUCKER

Sunny Tucker is a tool specially designed for car wrapping. One end is perfectly fit for squeegeeing hard-to-reach edges, such as edges at doors and around headlights. The other end also makes squeegeeing easier at hard-to-reach spots.



SMT-3128 | 4" SPEED WING LIME
SMT-3129 | 6" SPEED WING LIME

SMT-3130 | 4" SPEED WING LEMON
SMT-3131 | 6" SPEED WING LEMON

SMT-3132 | 4" SPEED WING CHERRY
SMT-3133 | 6" SPEED WING CHERRY

Squeegee with one straight and one slightly curved side, made from high quality materials for good slidability. Available in 10 cm and 15 cm versions



SMT-3134 | GRIP-N-GLIDE YELLOW
SMT-3135 | GRIP-N-GLIDE ORANGE

SMT-3136 | GRIP-N-GLIDE YELLOW BLADE
SMT-3137 | GRIP-N-GLIDE ORANGE BLADE

Grip-N-Glide features an ergonomic handle with a high performance, interchangeable blade. For window film, car wrap and PPF applications.



SMT-3201 | RED TITAN

Allows longer reach, has a rigid structure for more water removal, and its unique design will easily lift inner and upper door seals.

SMT-3202 | SLAMMER

Used for cleaning corners and along gaskets and wicking water out along borders. Easily reaches rear windows and sharp angled corners.

SMT-3203 | QUICK FOOT BLUE

A stiff squeegee with a handle for jobs that require medium reach. Slim and trim with an unwrapped handle.



SMT-3206 | SIDE SWIPER


This squeegee is ideal for getting behind brake lights and in lower areas of rear windows.

SMT-3207 | BULLDOZER

The Bulldozer is used in automotive applications. It allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 15 cm squeegee blade and is 38 cm in overall length.

SMT-3208 | SLIM FOOT

The slim foot has a slender design than can reach into tighter openings. This no rib squeegee helps reach behind brake lights and has a vinyl grip for secure handling.



SMT-3209 | SILVER SECURITY SQUEEGEE

This comfortable, ergonomic handle is designed especially for security film installation. The curved handle applies more pressure to surface, reducing fatigue and ensuring easier, better installations.

SMT-3210 | SILVER SECURITY BLADE

8" Blue Squeegee Blade replacement for the 8" Silver Security Squeegee (SMT-3209).

SMT-3214 | AVERY FLEXTREME

The FlexTreme is a micro-squeegee specifically designed for vinyl graphics applications. The blue (harder) one is for narrow curves and edges. The red (softer) one is ideal in narrow, concave parts of a car.



SMT-3294 | FUSION 5 SHORTY


With a shorter handle and no parts standing out of the design, the Fusion 5 Shorty was specifically developed for automotive tinting. With this handle you can get into hard-to-reach spaces a lot easier, without damaging any parts.

SMT-3226-20 | FUSION HANDLE 20CM

SMT-3226-12,5 | FUSION HANDLE 12,5CM

SMT-3226-12,5S | FUSION HANDLE SHORT 12,5CM

Especially developed for Fusion Tools squeegees, this handle provides maximum power. Available for 12,5 cm and 20 cm squeegee blades as well as shorter version for 12,5 cm wide squeegees.



SMT-3291-20 | FUSION BIG MOUTH HANDLE 20CM


SMT-3291-12,5 | FUSION BIG MOUTH HANDLE 12,5CM

A high quality handle designed for the Red Line Extractor 3/8" thick blades to squeegee the thickest security films.

SMT-3292-20 | FUSION STRETCH 20CM

SMT-3292-12,5 | FUSION STRETCH 12,5CM

Special extended handle, 37 cm long ideal for 12,5 cm wide Fusion squeegee blades, enables you to apply pressure with 2 hands, resulting in even better water removal.




SMT-3293-20 | FUSION BIG MOUTH STRETCH 20CM

SMT-3293-12,5 | FUSION BIG MOUTH STRETCH 12,5CM

Extended (37 cm) squeegee handle, enabling application of pressure with 2 hands. Recommended for anti graffiti, thick security and front windshield protection films

SMT-3403 | BLACK RUBBER SQUEEGEE

71 cm squeegee tool used for glass cleaning, usually cut into smaller size before use.




SMT-3256-20 | FUSION ORANGE CRUSH, BEVEL, 20CM
SMT-3256-12,5 | FUSION ORANGE CRUSH, BEVEL, 12,5CM

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.

SMT-3225 | FUSION ORANGE CRUSH, CROPPED, 12,5CM

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.




SMT-3257 | FUSION CLEAR CRUSH, BEVEL, 12,5CM

Designed for automotive window film installation, flexible enough to follow the form of the windscreen, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.

SMT-3254-20 | FUSION FLAT OUT, BEVEL, 20CM
SMT-3254-12,5 | FUSION FLAT OUT, BEVEL, 12,5CM

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.




SMT-3227 | FUSION FLAT OUT, CROPPED, 12,5CM

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.

SMT-3255-20 | FUSION THE HYBRID, BEVEL, 20CM
SMT-3255-12,5 | FUSION THE HYBRID, BEVEL, 12,5CM

A Hybrid of 2 favourite squeegee blades in the industry, on one side it is an Orange 85 durometer squeegee blade and on the other side a harder Blue 95 durometer. This double blade features double beveled working edges.



SMT-3250-20 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 20CM
SMT-3250-12,5 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 12,5CM

The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.

SMT-3251-12,5 | FUSION RED LINE EXTRACTOR 1/4", CROPPED, 12,5CM




SMT-3252-20 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 20CM
SMT-3252-12,5 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 20CM

The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.


SMT-3253-20 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 20CM
SMT-3253-12,5 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 12,5CM

50% thicker than the normal Red Line Extractor series, especially designed for thicker safety and security films. Provides the highest water removal in the industry. Made to accompany our Fusion Big Mouth Handles.



SMT- 3280-9 | FUSION TURBO PRO HANDLE
WHITE 9CM
SMT- 3280-14 | FUSION TURBO PRO HANDLE
WHITE 14CM
SMT- 3280-20 | FUSION TURBO PRO HANDLE
WHITE 20CM


The Fusion Turbo Pro series is the first injection molded triangular shaped squeegee in the world, which shows better slip, durability and more consistency than other models. All colors are available in 3 sizes (9, 14, 20 cm), any can be cut to custom size. Two different handles are available. The narrower white handle for those who prefer grabbing with fingertips and the larger grey handle, for those who prefer to hold it in their hand.



SMT- 3270-9 | FUSION TURBO
PRO PINK 9CM
SMT- 3270-14 | FUSION TURBO
PRO PINK 14CM
SMT- 3270-20 | FUSION TURBO
PRO PINK 20CM

SMT-3271-9 | FUSION TURBO
PRO GREEN 9CM
SMT-3271-14 | FUSION TURBO
PRO GREEN 14CM
SMT-3271-20 | FUSION TURBO
PRO GREEN 20CM

SMT-3272-9 | FUSION TURBO
PRO BLACK 9CM
SMT-3272-14 | FUSION TURBO
PRO BLACK 14CM
SMT-3272-20 | FUSION TURBO
PRO BLACK 20CM



SMT- 3273-9 | FUSION TURBO
PRO YELLOW 9CM
SMT- 3273-14 | FUSION TURBO
PRO YELLOW 14CM
SMT- 3273-20 | FUSION TURBO
PRO YELLOW 20CM

SMT- 3274-9 | FUSION TURBO
PRO ORANGE 9CM
SMT- 3274-14 | FUSION TURBO
PRO ORANGE 14CM
SMT- 3274-20 | FUSION TURBO
PRO ORANGE 20CM

SMT- 3275-9 | FUSION TURBO
PRO RED 9CM
SMT- 3275-14 | FUSION TURBO
PRO RED 14CM
SMT- 3275-20 | FUSION TURBO
PRO RED 20CM



SMT-3213 | UNGER + BLUE MAX
Ready-to-use installation squeegee that uses angled Blue Max (SMT-3211) and specially modified Unger Pro handle.

SMT-3211 | BLUE MAX
Installation squeegee for automotive and flat glass applications. Stiffer than SMT-3212, so this tool is excellent for water removal.

SMT-3222 | 5" BLUE MAX
SQUEEGEE, STRAIGHT
One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. Slanted, straight edge



SMT-3223 | 5" BLUE MAX
SQUEEGEE, SQUARE
One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. The square-edged squeegee is even stronger, recommended specifically for safety films

SMT-3218 | THE EXTRUDER
Aluminium profile to be fit into an Unger handle (SMT-1300), which provides an extra wide, 20-cm squeegee head and good stiffness. The handle and squeegee refills are available separately. Channel refill: SMT-3219.

SMT-3219 | 8" BLUE CHANNEL
SQUEEGEE REFILL
Squeegee refill for The Extruder (SMT-3218).



SMT-3234 | STROKE DOCTOR
Thanks to its special form this tool can bring even pressure when applied in hard-to-reach spaces. Combined with the special Fusion blades (SMT-3235, SMT-3236) the efficiency can be further increased.

SMT-3231 | HEXIS HANDLED
SQUEEGEE
Handle and squeegee, medium finish, for application of Bodyfence on flat and 3D surfaces.

SMT-3232 | HEXIS SQUEEGEE
BLADE
Semi-hard squeegee for SMT-3231.



SMT-3228 | FUSION HAND DEE

With regular squeegee handles it was impossible to get to hard-to-reach places, thus the Fusion Hand Dee was born. As this handle is also widely used to squeegee paint protection film, we added 2 magnets that help to keep the film in position before squeegeeing.

SMT-3229 | FUSION PINK CLEAN, CROPPED, 12,5CM

The Pink Clean is the softest squeegee blade with Fusion Tools, specifically designed extremely flexible to easily conform to curved surfaces while squeegeeing. We recommend this blade for cleaning and squeegeeing purposes.

SMT-3170 | FUSION PPF BLACK OUT, CROPPED, 12,5CM

PPF Blackout especially developed for paint protection films. The PPF Blackout features a high content of slip additives to help the tool slide easily across paint protection films.



SMT-3171 | FUSION PPF BLACK OUT, BEVEL, 12,5CM

Squeegee designed for paint protection film installations with additives promoting slideability. It fits into the Fusion Hand Dee handle.



SMT-3230 | FUSION CLEAR CRUSH, CROPPED, 12,5CM

Designed for automotive window film installation, flexible enough to follow the form of the windscreens, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.

SMT-3308 | ORGANIC PPF GEL 5L

Application gel developed for PPF. This gel has been developed to assure the least exposure to harmful chemicals of our fellow installers. Most products in the industry have a vast percentage of isopropyl alcohol (IPA) among their ingredients, our aim when developing the Organic PPF Gel was to find a much more installer friendly solution for installing.




SMT-3260 | YELLOTOOLS WRAPSTICK BETTY GOLD

The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.

SMT-3261 | YELLOTOOLS WRAPSTICK CARSON GOLD

SMT-3263 | YELLOTOOLS WRAPSTICK SLOAN GOLD



SMT-3262 | YELLOTOOLS WRAPSTICK HANGLOOSE

The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.

SMT-3264 | YELLOTOOLS WRAPSTICK HOOK

SMT-3265 | YELLOTOOLS WRAPSTICK TUPP




SMT-3304 | HEXIS GEL 1L
SMT-3305 | HEXIS GEL 5L

Application gel developed for Hexis Bodyfence PPF. Its huge advantage is that your workshop or the showroom will not become soaked, while your job will be easier by wetting the necessary spots.



SMT-3306 | HEXIS MAGIC SPRAY 50 CL

Liquid used to wet the squeegee felt for chrome and other scratch-sensitive films



SMT-3233 | HEXIS SQUEEGEE, 47 CM

47 cm Teflon squeegee, does not scratch, can be cut to size.



SMT-3431 | GLOVES FOR DIGITAL PRINTING

With printable media it is crucial to touch the surface of the film only in gloves, to avoid the film getting greasy. These cost-efficient gloves are ideal for this purpose



SMT-3301 | FUSION ALL TYPE, 3,8 L

Fusion All Type is an all-in-one mounting solution designed for use on all types of adhesives and materials. Fusion All Type can be used as a prepping cleaner and mounting solution. It is safe for use on window films, vinyl and paint protection films. With conservative mixing ratios, the end user will save money verses other brands and soaps currently used today. Fusion All Type is biodegradable and has no unnecessary ingredients to ensure the purest product available. Our formula is filtered five times in massive filtration systems before being heat sealed to avoid leaking during shipping.



**SMT-3420L | WRAPGLOVE
SMT-3420XL | WRAPGLOVE**

WrapGlove, highly praised by the signage industry, is now available in Europe. Try the original WrapGloves, manufactured in the USA.

HINT: These are some real durable wrapping gloves.



PPF

**SMT-3454S/M/L/XL |
SUPERGLOVE**

The first gloves for the graphics industry that don't need to be wet, they slide perfectly also when dry. Extra durable, washable. Available in 4 sizes.



SMT-3404 | AVERY GLOVES

The Application Glove is a soft, seamless cotton glove that helps smooth graphics over the application surface and into curves and recesses. Packed individually.



PPF

PPF

**SMT-3418G
SMT-3418R
SMT-3418Y
SMT-3418B** | **KWAZAR MERCURY PRO+ SUPER 360 SPRAYER, 1L**

A revolutionary novelty among sprayers, sprays also when the handle is released, and thanks to its flexible, weighted hose, even upside down. Capacity: 1L



PPF

SMT- 3479 | KWAZAR MERCURY PRO+ SUPER 360 SPRAYER 0.5L

While working on an installation, sprayers are often used tilted or upside down. This professional tool has a flexible hose, so it can be used upside down as well. It sprays also when the handle is released, which means half as many spray movements as with regular ones. Capacity: 0.5L



PPF

PPF

**SMT- 3480
SMT- 3482** | **KWAZAR VENUS PRO+ SUPER 360 SPRAYER 1L/2L**


Professional pump sprayer that keeps pressure very well. Thanks to its flexible hose, it can also be used upside down. With its adjustable nozzle, you can spray anywhere. This tool has an extra durable tank. Capacity: 1L,2L



PPF

SMT- 3481 | KWAZAR ORION PRO+ SPRAYER 12L

Will you install PPF on a full car? Are you working on a large surface architectural job? Mix the solution once and use the Kwazar Orion pump sprayer for the whole job. Capacity: 12L



SMT-3401 | SHARPENER

This handy device allows you to sharpen the edges of nearly any hard card, teflon card or bondo card in your tool box in a matter of seconds.




SMT-3439 | SMOOTH-IT BALCK

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The black version is intended for more serious damages. Replacement insert: SMT-3441




SMT-3440 | SMOOTH-IT GREY

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The grey version is intended for light damages. Replacement insert: SMT-3442



SMT-3441 | SMOOTH-IT SPARE MATS, BLACK

Replacement insert for SMT-3439. Black, intended for more serious damages.



SMT-3442 | SMOOTH-IT SPARE MATS, GREY

Replacement insert for SMT-3440. Grey, intended for light damages.



SMT-3446 | YELLOTOOLS YELLOQUICK STICK

With this well balanced surface-tension pen, you get a perfect idea of the tension of your surface. This way you will have proof if you are ready to go or if you have to re-clean again.



SMT-3405 | AVERY MAGNET

The Magnet is a highly practical aid for holding and positioning graphics on a substrate. The strength of magnetic attraction is sufficient to replace masking tape.




SMT-3433 | HEXIS MAGNET

Magnet for film positioning, for a reasonable price




SMT-3434 | LARGE HOLDING MAGNET

Extra strong, large magnet to fix large film pieces or to store tools.



SMT-3443 | SOAK SHIELD ROPE-ORIGINAL

Absorbent rope braid used for absorbing water running down behind the dashboard of a vehicle while installing film. Helping to protect the electronics and other parts from water damage. Can be reused as many times as needed.



SMT-3444 | SOAK SHIELD ROPE-MINI



SMT-3445 | SOAK SHIELD ROPE-XL



SMT-3460 | YELLOTOOLS LACYTIP HD L BLUE

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3461 | YELLOTOOLS LACYTIP HD L TEFLON BLUE

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3462 | YELLOTOOLS LACYTIP HD XL RED

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3463 | YELLOTOOLS LACYTIP HD XL TEFLON RED

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



SMT-3407 | YELLOW FILM MARKER PENCIL

Handy for three basic purposes: 1) marking film prior to installation of windows with unusual shapes; 2) circling a contaminate (hair or fiber) before pulling back the film; 3) marking film edges to check for glass movement on side roll-ups when trimming. Yellow grease mark easily wipes away.

SMT-3408 | THIN CORRECTING PEN

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.

SMT-3409 | THICK CORRECTING PEN

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.




SMT-3410 | SELF-ADHESIVE FELT LINE, 1.9 CM
SMT-3411 | SELF-ADHESIVE FELT LINE, 3.8 CM

Self-adhesive felt stripe.

HINT: For those roll down windows that lack factory felt.

SMT-3428 | STANDARD WEEDER

Weeder with a pointed tip for removals.



SMT-3429 | WEEDING HOOK


Special hooked tool for removals and for film finishings.

SMT-3430 | FULL WRAP TWEEZER WITH ROUND TIPS

Weeder with a curved tip for removals.

SMT-3465 | YELLOTOOLS RUBBERLIFT

A tool to lift rubber sealings, without scratches.



SMT-3464 | YELLOTOOLS LUCKY

A tool for finishing the edges. Low-friction plastic for an easy use and aluminium material for durability.

SMT-3466 | YELLOTOOLS SIGNTWEEZER

Excellent quality tweezer with a pointed tip and slanted head, length: 13.4 cm.

SMT-3467 | YELLOTOOLS WRAPFINGER

If you don't want to work in gloves but would welcome them on a finger, WrapFinger is for you.



SMT-3468 | SELF-ADHESIVE FELT FOR SMT-3260

Felt specifically developed for car wrapping films, for SMT-3260.

SMT-3469 | SELF-ADHESIVE FELT FOR SMT-3263

Felt specifically developed for car wrapping films, for SMT-3263.

SMT-3470 | SELF-ADHESIVE FELT FOR SMT-3261

Felt specifically developed for car wrapping films, for SMT-3261.



SMT-3471 | YELLOTOOLS YELLOBRUSH

2-in-1: a brush for finishing the film on rivets on one end, a needle to punch bubbles on the other.

SMT-3472 | YELLOTOOLS YELLOSTRAP

Toolstrap for the wrist with uniquely variable storage spaces.

SMT-4301 | AVERY TOOLBELT

With the help of Avery Toolbelt, your tools will always be at hand, you will not have to run around looking for them.


**SMT-3490 | YELLOSTRIPE FELT
3 METER**

Thick, padded self-adhesive felt. Recommended for wet installation, for lamination on soft plastic boards.


SMT-3491 | YELLOSTRIPE BIG-BUFFER MICRO 3 METER

Thick, padded self-adhesive felt. Recommended for wet installation, alcantara-type, for lamination on even surfaces.


SMT-3492 | YELLOSTRIPE BIG-BUFFER MICROFINE 3 METER

Thick, padded self-adhesive felt. Recommended for wet installation, for laminating films with sensitive surfaces.


SMT-3493 | YELLOSTRIPE SLIM-SKIN MICROFINE 3 METER

Thin layer self-adhesive felt. Recommended for dry installation, for laminating films with sensitive surfaces.


SMT-3494 | YELLOSTRIPE SLIM-SKIN MICRO 3 METER

Thin layer self-adhesive felt. Recommended for dry installation, alcantara-type, for lamination on even surfaces.


SMT-3495 | WRAP-U-EZEE

With "Wrap-U-eeze" protruding vehicle parts such as exterior mirrors or door handles can be easily wrapped without a "second pair of hands".


**SMT-3496 | WRAPTWEEZER
DISC**


A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping out.


**SMT-3497 | WRAPTWEEZER
AUTOLOCK**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping. The AutoLock variant can also be locked to keep your hands as free as possible.


**SMT-3498 | WRAPTWEEZER
SPADE**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping.


**SMT-3499 | PPF BUFFER
MICROFELT FOR PPF,
5PCS/BOX**

Self-adhesive microfelt strip for squeegees, recommended specifically for installing paint protection films.


**SMT-4140 | EDGE SEAL TAPE,
HIGH GLOSS, ULTRA CLEAR
PVC, 13MM×30M**

Special edge sealing tape, ideal for window film graphics, wrapping films and window films, especially for the sealing when the glass is larger than the roll width. High gloss, ultra clear PVC, 50 microns thick, permanent adhesive, 13mm×30M.


**SMT-4308 | YELLOTOOLS
LOWRIDER CHAIR**

Special chair developed for car wrapping, with wheels, magnet holders and storage space for tools. The low construction makes wrapping bumpers and skirts a lot more comfortable. With accessories, the height is adjustable.



25cm

**SMT-4308-25 | YELLOWTOOLS LOWRIDER
EXTENSION CHAIR, 25 CM**


This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 25 cm.




40cm

**SMT-4308-40 | YELLOWTOOLS LOWRIDER
EXTENSION CHAIR, 40 CM**

This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 40 cm.


SMT-4150 | GRAVELOMETER

The Gravelometer device is intended to demonstrate the resistance of PPF materials to road debris. Rotating parts of the machine imitate the effect of road debris on a surface coated with the paint protection film, thus its protective feature will become clearly visible. CE certified device.



SMT-4119 | LS162 TRANSMISSION METER

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared.



SMT-4313 | HEAT SHEET DEMO CARD

The Heat Sheet Temperature Demo Card vibrantly changes color when it encounters heat. To demonstrate the heat-blocking capabilities of your glass or film, use the Demonstration Card in combination with a heat lamp. The demonstration shows a dynamic color change in front of inefficient heat protection, while no color change occurs when placed in front of your heat protective window film.



SMT-4312 | HEAT SHEET ACRYLIC STAND, FOR SMT-4313

An Acrylic Stand designed to hold the Heat Sheet Card in place to demonstrate heat transfer.



SMT-4314 | UV DEMONSTRATION CARD

If you are looking for a low cost method to demonstrate the UV protection a given window film offers, consider this simple UV Demonstration Card. When it is reached by UV radiation, the card will glow visibly; behind a window film, the glowing effect will be minimized.



SMT-4315 | FUSION STRAP CLIP TO HOLD OPEN ROLLS, 4 PCS/PACK

Nostalgic product, rethought. This flexible ring is used to hold the cut film together and does not damage the material thanks to its silicone coating.




SMT-4316 | PPF RECOVERY DEVICE

Perfect device to show your clients how the self-healing performance of paint protection films work. This machine will heat up the previously scratched PPF, to demonstrate self-healing properties. Possible to personalize with your own design. CE certified device.




SMT-4318 | PLASTIC MODEL - CAR-SHAPED

Car-shaped plastic model to be used to showcase car wrapping films. It measures 70×42 cm.




**SMT-3473 | YELLOTOOLS
YELLOWING BETTY MICRO
FIBRE**

Special material for the edge of any ProWrap Betty squeegee (SMT-3162, SMT-3163).




**SMT-3474 | YELLOTOOLS
YELLOWING BETTY POLY**

Special material for the edge of any ProWrap Betty squeegee (SMT-3162, SMT-3163).



**SMT-3475 | YELLOTOOLS
YELLOWING ALLSTAR MICRO**

Special material for the edge of any AllStar squeegee (SMT-3160, SMT-3161).



**SMT-3476 | YELLOTOOLS
YELLOWING ALLSTAR POLY**

Special material for the edge of any AllStar squeegee (SMT-3160, SMT-3161).



**SMT-3422 | THE MONKEY STRIP
SMT-3423 | THE MONKEY STRIP
SMT-3424 | THE MONKEY STRIP
SMT-3425 | THE MONKEY STRIP**

Self-adhesive felt developed by a car wrapping veteran. If you've tried it once, you'll never look for another felt.

- SMT-3422: 10 pcs/pack
- SMT-3423: 25 pcs/pack
- SMT-3424: 50 pcs/pack
- SMT-3425: 100 pcs/pack




**SMT-3456 | SOAK SHIELD
DOOR PANEL COVER WHITE**

Car door cover white fabric with excellent absorbency.



**SMT-4104 | FUSION
AFTERBURN TAPE**

Highly heat-resistant up to 500 °C with one layer applied. Apply multiple layers to increase heat resistance. Self adhering, and it leaves no glue residue. Apply it to heat guns, steamers, etc. The tape stretches up to 300%



**SMT-4118 | EDTM SPECTRUM
DETECTIVE METER**

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared. Runs on 9V batteries, portable.



**SMT-4114 | LASER LABS M200
TINT METER**

Developed to directly measure the light transmission of vehicle glasses.



SMT-4117 | TINT CHECK TC1800

Measures visible light transmission on roll down windows. Small, easy-to-use, reliable instrument.



**MT-4128 | MERLIN LAZER
GLASS MEASUREMENT GAUGE**

An absolute necessity when making architectural application quotes. A laser guided glass thickness meter that will show you the thickness of the glass and air gaps. Also suitable for deciding if the glass pane is laminated or not.



**SMT-4126 | MERLIN LAZER
TOUGHENED GLASS
INDICATOR**

Will show you if the glass is toughened or not. A great tool when visiting sites of architectural window film proposals. Light, easy-to-use.



**SMT-4103 | STEINEL HEATGUN
HG2120 7,5 M CABLE**

A heatgun from the Steinel Professional series, with enhanced power and durability. 2200W output, 80-630°C, German design, equipped with a 7,5-meter cable to work more freely.



SMT-4102 | STEINEL HL SCAN

Temperature scanner that shows the surface temperature of the vinyl making the heat fixing process much faster and more perfect.



SMT-4127 | EDTM LOW-E CARD

A device the size of a credit card, which shows you if a low-e coating is present on the glass. It also shows the position of the low-e coating. Runs on a replaceable battery.



**SMT-4116 | THE JIFFY
STEAMER**

A perfect help for installing PPF and chrome films and fixing them on the edges, as well as for removing a variety of films by softening the adhesive. This is a really durable device straight from the USA - it will work for you for a long time without any issues.



**SMT-4305 | YELLOTOOLS
GLADIBELT**

A belt for heat guns - its leather protects from burns, the metallic tube leads off the heat.

**SMT-6100 | WINDOW FILM STAND**

Professional automotive window film stand with aluminum structure, freely adjustable glass height and optional accessories. Accessories can be purchased individually, the size of the 5 mm thick tempered glass is 1620 mm x 920 mm. The glass pane is not part of the product.



High quality, rubberized, fixable wheels



Freely-positionable height for the glass pane



Uniquely produced aluminium structure

**SMT-6101 | FILM HOLDER**

Freely adjustable roll holder, suitable for 51, 76 and 152 cm wide rolls.

**SMT-6103 | TOOL TRAY**

Freely adjustable tool holder tray with folded-back rim for hanging cleaning tools.

**SMT-6102 | HEAT GUN HOLDER RING**

Freely adjustable heat gun holder.

**SMT-6104 | HOLDING DISC**

Freely adjustable holding disc, also suitable for 12 liter cans.

**SMT-4125 | HEAT BOX**

Device demonstrating the infrared transmission of window films. Space for two tinted glass samples that you can put under 2 infrared bulbs, 150W each. Comes with 2 built in sensors that show the temperature as well as the temperature difference since the start of the test.

**SMT- 4525 GL | SET OF GLASS SAMPLES**

5 pieces of 3mm thick, deburred, clear glass samples that fit SMT-4125 Heat Box.

**SMT-4123 | MONTI MBX**

Electric Vinyl Zapper with rubber wheel. Removes old vinyls and adhesives quickly and easily.

**SMT-4124 | RUBBER WHEEL**

Wheel for Vinyl Zapper (SMT-4123). With the help of this rubber, even burnt vinyl can be removed.

**SMT-4200 | PLASTI DIP - BLACK**

Plasti Dip is a multi-purpose, air dry, special rubber coating. It can be easily applied by spraying.

HINT: If there is a white screw or a hinge on the car and you need to wrap full black, or you need to wrap a grill, it is time for Plasti Dip.

**SMT-4303L | SPEEDCLIP TO HOLD OPEN ROLLS, LARGE**

Speedclip to hold open rolls, 12 cm diameter.

**SMT-4303S | SPEEDCLIP TO HOLD OPEN ROLLS, SMALL**

Speedclip to hold open rolls, 8 cm diameter.

**SMT-4306 | YELLOTOOLS GECKOPATCH M**

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.

**SMT-4307 | GECKOPATCH FLEXI**

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.



Mactac ColourWrap GLOSS DECHROME

Mactac ColourWrap SATIN DECHROME



Supreme Wrapping Film GLOSS CHROME DELETE

Supreme Wrapping Film SATIN CHROME DELETE

5 and 15 centimeter wide, gloss and satin black rolls specifically recommended for "chrome delete" applications, to wrap chrome and metallic elements.



K+R Kereskedelmi Kft. | H-1195 Budapest, Hofherr Albert u. 3/A

www.wraptrade.com