


2023




## TOOL CATALOGUE

PROFESSIONAL TOOLS FOR CAR WRAPPING,  
WINDOW TINTING AND PPF APPLICATIONS



- CLEANING
- CUTTING
- INSTALLATION
- OTHER TOOLS





**NEW**

**C-COAT CLAY BAR COARSE**

The rubber will allow you to clean surfaces with great efficiency. Removes burnt-in dust without damaging the paint. Always use it in combination with an aqueous solution. Store in water after use.



**NEW**

**C-COAT CLAY BAR FINE**

The rubber will allow you to clean surfaces with great efficiency. Removes burnt-in dust without damaging the paint. Always use it in combination with an aqueous solution. Store in water after use.



**NEW**

**C-COAT CLAY MITT**

Professional plastic gloves that make the cleaning process more efficient.



**NEW**

**C-COAT CLAY TOWEL**

Clay cloth that quickly and efficiently removes surface dirt.



**NEW**

**C-COAT TOWEL**

Universal microfibre cloth for interior and exterior cleaning. 320 GSM 40X40 cm 20 pcs



**NEW**

**C-COAT WIPER RED  
C-COAT WIPER BLACK**

Top quality microfibre cloth in red and black color. 400 GSM



**NEW**

**C-COAT IRON 5L**

The C-Coat Fallout & Iron Remover is a pH neutral iron&fall-out remover which dissolves and removes iron brake dust particles and fallout from paint, wheels and chrome surfaces. 5l



**NEW**

**C-COAT IRON 0,75L**

The C-Coat Fallout & Iron Remover is a pH neutral iron&fallout remover which dissolves and removes iron brake dust particles and fallout from paint, wheels and chrome surfaces. 0,75l



**SMT-1100 | AVERY SURFACE CLEANER**

Looking for a universal cleaner that leaves no residue on the surface? Avery Surface Cleaner is a high-performance cleaner that enables you to remove all kinds of residue in one single action, including dirt, wax, tectyl, light silicone, cock-pit sprays, and more. A highly user-friendly cleaner, it can also be used for removing small adhesive residues from surfaces.



**SMT-1101 | AVERY ADHESIVE REMOVER**

Never said that this stuff is cheap, but it works. The Avery Adhesive Remover is a high-performance cleaner designed to make sure that substrates are adhesive-free when graphics are removed.




**SMT-1133 | TAP**

This tap will make it easier to pour the cleaning liquid from 5L Organic Surface Cleaner cans.



**SMT-1132 | ORGANIC SURFACE CLEANER 5L**

A more economical 5L version of the SMT-1130 Organic Surface Cleaner.



**SMT-1134 | PUMP**

This pump will make it easier to pour the cleaning liquid from 5L Organic Surface Cleaner cans.



**SMT-1113 | AVERY SUPREME WRAP CARE CLEANER / 946ML**

A general cleaning agent for regular use, which removes dust, light dirt and fingerprints from the film.

**SMT-1114 | AVERY SUPREME WRAP CARE POWER CLEANER / 946ML**

This is a strong cleaning agent for difficult stains, such as bird droppings, road grime and tree sap.

**SMT-1115 | AVERY SUPREME WRAP CARE SEALANT / 946ML**

It creates a protective layer on the film surface, therefore stains, bird droppings and tree sap can be removed more easily.



**SMT-1102 | SOTT FILM REMOVER 5L**

Strong and effective liquid for removing film, even from glass and metal surfaces. SOTT Film Remover has been developed to remove self-adhesive films and decals made of PVC, PVF and PU. Removal of films made of polyester that are thick or multi-layered (such as reflective, PPF and laminated films) may be difficult or not possible at all with this product. Film Remover is a compressed volatile liquid that dries quickly if in contact with air. Creates a dry, powdery layer that can be removed along with the film residue. The film removal process is already active before the Remover becomes a powder layer.



**SMT-1119 | YELLOTOOLS NANOEX 250ML**

PH-neutral cleaning liquid, which guarantees the dissolution of various coatings that can reduce the adhesion of the films.



**SMT-1130 | ORGANIC SURFACE CLEANER 0,75L**

The Organic Cleaner products have been developed to assure the least exposure to harmful chemicals of our fellow installers. Our aim when developing the Organic Cleaner family was to find a much more installer friendly solution for cleaning. A concentrated surface cleaner with high ethanol content for removing severe contamination. Evaporates quickly leaving a perfect surface prior to installation.



**SMT-1200 | VICTORY SCRAPER, STRAIGHT, 150 MM**

The Victory scraper is made in Polypropylene reinforced by glass fiber and is equipped with a double edge carbon steel blade. When the scraper is not in use the blade is protected by an ergonomic cover.



**SMT-1201 | VICTORY SCRAPER, 80 MM**

8 cm wide scraper for window cleaning, specifically developed for automotive application, comes with carbon steel blade.



**SMT-1202 | CARBON STEEL BLADE**

A double-edge, economical carbon steel blade. Replacement blades for SMT-1200.

**SMT-1205 | CARBON STEEL BLADE (BOX OF 10) 8 CM**

Double-bladed carbon steel blade for product SMT-1201.

**SMT-1210 | HEAVY DUTY RAZOR**

Metal cased, 4-cm glass scraper.



**SMT-12120 | DOUBLE EDGE PLASTIC RAZOR BLADES (ORANGE COLOR)**  
**SMT-1212W | DOUBLE EDGE PLASTIC RAZOR BLADES (WHITE COLOR)**  
**SMT-1212G | DOUBLE EDGE PLASTIC RAZOR BLADES (GREY COLOR)**

Perfect for removing adhesive and leftover film from surfaces that can be easily damaged. Pack of 100.



**SMT-1211 | CARBON STEEL BLADE**

Carbon steel single edge blade into SMT-1210 and SMT-1213. Pack of 100.

**SMT-3141 | GATOR BLADE I**

Plastic tool for film removal, with an ergonomic handle.

**SMT-3142 | GATOR BLADE II**

Plastic tool for film removal, with an ergonomic handle



**SMT-1206 | SOTT THE WIDE GRIPPER 10 CM BLADES WITH WIDE PLASTIC BLADES**

All kinds of dirt and glue residue can be quickly and efficiently removed from sensitive surfaces with this 10 cm wide plastic blade. Its advantage is that it does not scratch or rust. A spare blade is available, product code is SMT-1207.

**SMT-1207 | SOTT REFILL FOR "THE WIDE GRIPPER"**

10 cm wide spare blade for SMT-1206 „The Wide Gripper” plastic blade, 25pcs / pack.

**SMT-1307 | FUSION CHANNEL SQUEEGEE BLUE 15CM**

High quality rubber blade for cleaning squeegeeing, 15 cm long, blue color.

Durometer: 94.



**SMT-1213 | 1" BLADE AID PLASTIC SCRAPER**

Plastic handle for any 1" blade.

**SMT-1214 | TRIUMPH RAZOR SCRAPER**

Plastic handle, ergonomically designed, 5 cm wide blade with a straight head.

**SMT-1212 | PLASTIC RAZOR BLADES**

Replacement blade for SMT-1210. Perfect for removing adhesive and leftover film from surfaces that can be easily damaged. Pack of 100.



**SMT-1308 | FUSION CHANNEL SQUEEGEE BLUE 45CM**

High quality rubber blade for cleaning, 45 cm long, blue color.

Durometer: 94.

**SMT-1309 | FUSION CHANNEL SQUEEGEE ORANGE 15CM**

High quality rubber blade for cleaning, 15 cm long, orange color

Durometer: 85.

**SMT-1310 | FUSION CHANNEL SQUEEGEE ORANGE 45CM**

High quality rubber blade for cleaning, 45 cm long, orange color.

Durometer: 85.



**SMT-1302 | UNGER SQUEEGEE AND CHANNEL 15 CM**

Stainless steel channel and soft rubber squeegee blade, ca. 15 cm.

**SMT-1305 | UNGER SQUEEGEE AND CHANNEL 20 CM**

Stainless steel channel and soft rubber squeegee blade, ca. 20 cm.

**SMT-1306 | UNGER SQUEEGEE AND CHANNEL 30 CM**

Stainless steel channel and soft rubber squeegee blade, ca. 30 cm.



**SMT-1303 | UNGER SQUEEGEE AND CHANNEL 45 CM**

Stainless steel channel and soft rubber squeegee blade, ca. 45 cm.

**SMT-1304 | REPLACEMENT SQUEEGEE BLADE 140"**

Replacement blades for unger squeegee channel, used for window cleaning, not installation.

**SMT-1301 | ERGONOMIC UNGER PRO HANDLE**

Features a spring mechanism for quick changing of blades. Very comfortable handle to work with.



**SMT-1300 | UNGER PRO HANDLE**

Universal, rubber-coated squeegee handle. It works with many different squeegee blade attachments: Clear Max, Blue Max, Blue Squeegee Blade and the regular squeegee blade with the soft rubber insert in the stainless steel channels.

**SMT-1403 | EMBLEM REMOVER**

Used to help you easily remove emblems and other signs. The cutting tape can be fixed into the handles, and it will not damage the paintwork. Shipped with 100 cutting tapes.

**SMT-1404 | MOLDING & TRIM REMOVAL KIT 5 PIECES**

Plastic molding and trim removal kit, 5 pieces.



**SMT-3267 | YELLOTOOLS YELLOBLADE ORANGE**

Well-slideable scraper blade that is soft enough not to damage the paintwork. It fits perfectly into the SMT-3266 handle.

**SMT-3268 | YELLOTOOLS YELLOBLADE HANDLE MINI**

If you need to remove a small sign or something from a hard-to-reach area, this small tool will help greatly.

**SMT-3269 | YELLOTOOLS YELLOBLADE MINI**

A blade for scraping smaller text designs. It fits perfectly into SMT-3268 and it doesn't damage the paintwork. This tool has 4 edges.




**SMT-3266 | YELLOTOOLS YELLOBLADE HANDLE**

Finally, a handled squeegee for comfortable and fast vinyl removal.

**SMT-1236 | SILICONE BLADE WIPER**

With its help, it is easy to remove excess water from larger surfaces. Thanks to the ergonomic design of the silicone rubber pad, it provides easy movement on all surfaces, and the soft silicone protects the paintwork and prevents scratches.



**SMT-1410 | DOORHANDLE REMOVER**

The DoorHandle Remover is an indispensable tool for removing door handles.

**SMT-1411 | GRABHANDLE REMOVER**

This multitool is indispensable when it comes to removing handles and many other attachments on vehicles.



**SMT-1400B | 3M MICROFIBRE CLOTH**

Washable, reusable and antistatic with strong dust absorbability. Available in different colours so you can easily distinguish between cloths used for different workphases.


- SMT-1400G
- SMT-1400R
- SMT-1400Y

**SMT-1401 | SOTT MICROFIBRE WIPES**

A completely lint and dust-free cloth that doesn't release a single fiber during polishing, which enables the perfect cleaning of any surface. It also has extremely high moisture absorbency.

**SMT-1402 | 3M SCOTCHBRITE SCRUBBING SPONGE**

Non-scratch scrub sponge perfect for leaning any surface you want that will not scratch the surface when wet. Ideal for cleaning shop windows, glass, plastics, etc. Also, it removes adhesive residues, too!



**SMT-1408 | SOTT SCOTCH-BRITE SCRUBBER - THIN**

This pro-quality scourer works very well for the removal of tough dirt and little bumps on car and home windows. The sponge is less than an inch thick.

**SMT-1409 | SOTT SCOTCH-BRITE SCRUBBER - THICK**

This large scrub pad is perfect for glass cleaning. It works very well for the removal of tough dirt and little bumps on car and home windows. Because of its size, it is easy to use.



**SMT-1412 | SOTT CAR WRAPPER CLEANER SPONGE - 2PCS**

This special white sponge extracts all dirt released from imperfection in a film, returning it to its original color. Rinse the film with water and job done!

**SMT-1405 | MOLDING & TRIM REMOVAL KIT 11 PIECES**

Plastic molding and trim removal kit, 11 pieces.



**SMT-2408 | YELLOTOOLS SAFETYRULER CLASSIC 50 CM**  
**SMT-2409 | YELLOTOOLS SAFETYRULER CLASSIC 150 CM**

Aluminium ruler with special design that protects the fixing hand from getting cut. The bottom is coated with rubber in order to avoid sliding of the ruler.



**SMT-2110 | NT PMGA-EVO 2**

Don't like OLFA? Ok, we still have it for you. 9 mm utility knife with stainless steel casing.



**SMT-2106 | OLFA SILVER 1 KNIFE**

The universal knife of any tint or wrap shop with stainless steel handle. Designed for either left or right-handed use.

**SMT-2107 | OLFA SAC-1 KNIFE**

This stainless-steel cutter features an ultra-slim design and a 30° angled blade. It is a popular choice with professional graphic artists and sign-making professionals.



**SMT-2100 | OLFA SILVER 2**

The universal knife of any tint or wrap shop with stainless steel handle. Designed for either left or right-handed use.

**SMT- 2101 | OLFA XA-1**

An ergonomic knife with a comfortable rubber grip.

**SMT- 2102 | OLFA SPC-1**

Always leaving your knife in the car? Then perhaps you should try this economy knife with plastic handle.



**SMT- 2103 | OLFA ES-1/GREEN**

Caring for the environment? All plastic parts made from 100% recycled materials

**HINT:** This knife has a thick plastic casing making it slidable on vinyl. This is very useful for wrapping jobs.

**SMT-2104 | OLFA 180 BLACK**

Steel-cased knife used for light duty cutting jobs.

**SMT-2105 | OLFA PA-2**

Never run out of blades. 9 mm multi-blade knife, it holds up to 5 blades. That's 65 new cutting segments per load.

**HINT:** Being up on the scaffold or hanging on a rope, it can be very useful if you have a multi-blade knife in your hands.



**SMT-2111 | NT PRO A-1**


Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control.

**SMT-2113 | OLFA A-2 9 MM KNIFE**

A multi-blade, 9 mm knife. Five blades can be loaded into the handle, the change of blades is automatic. It is ideal for situations where changing the blade is inconvenient (e.g. when working on scaffolding)

**SMT-2114 | NT A553P KNIFE**

Knife with a plastic casing which is well-slidable and which does not damage the car body. Multiple blades can be fixed in the handle, so you do not have to worry about changing the blades.



**SMT-2200 | COBRA BLADE 60°**

Special 60° titanium blade from Solingen. It is the sharpest blade in the industry, specifically recommended for cutting PPF, and also to have any cut more aesthetic, precise and professional. Pack of 10.

**HINT:** Many installers like this blade as it will not wrinkle the film even when it's hot. Once you try it, you can forget about all other blades.



**SMT-2201 | COBRA BLADE 30°**

30° blade that makes it possible to cut with very gentle pressure, and because of its small angle, also to easily cut in a curve. Primarily recommended for precision cuts. Pack of 10

**HINT:** Great for small precision cuts during car wraps. For longer cuts, use the larger angle blade instead.





**SMT-2123 | BODYGUARD KNIFE  
TEFLON**

The perfect knife to prepare car wrapping and decorative films, designed specifically to cut the liner without damaging the adhesive or the film itself. This teflon-coated knife is slidable along the adhesive without leaving any marks or lines.  
Replacement blades: SMT-2208



**SMT-2208 | YELLOTOOLS  
TITANBLADES BODYGUARD**

Extra sharp titanium edge blades from Yello-tools, suits SMT-2123, 10 pcs/box.



**SMT-2205 | OLFA SS BLADE**

Standard-duty stainless steel snap-off replacement blades. 50 blades per pack.



**SMT-2209 | BLADE FOR SMT-2110, 10 PCS/BOX,  
BA15P**

NT Cutter, a Japanese premium manufacturer's 30° angle blade with reinforced edge.



**SMT-2210 | BA-50SS STAINLESS STEEL BLADE  
(BOX OF 50)**

NT Cutter, a Japanese premium manufacturer's stainless steel blade for car window tinting, it is for those who are not delighted with Olfa.



**SMT-2120 | AVERY SNITTY**

The Snitty is a mini-slitting tool, used for cutting self-adhesive material.



**SMT-2204 | AVERY DENNISON  
SNITTY BLADE (BOX OF 10)**

Blade for Avery Snitty



**SMT-2206 | OLFA EXCEL  
BLACK CS BLADE**

Exclusively designed for maximum cutting performance. 50 blades per pack.



**SMT-2400 | MAGNETIC SNAP  
BLADE CAGE (FIT FOR 9MM 30°,  
60° ANGLE BLADE)**

Magnetic blade breaker



**SMT-2417 | BLADEBREAKER  
PRO**

The blade breaking edge has been enlarged, breaking cutter blades is much easier. The rubber coating allows the blade box to withstand a bump or fall easily. There is a small detachable magnetic plate in the lower vessel area of the snap-off blade box. The magnet holds the small demolition residues and tips on the bottom of the blade box.



**SMT-2403 | YELLOTOOLS  
WRAPSLIP CUT CLIPPER**

A tool designed to make parallel cuts along curves.



**SMT-2130 | YELLOTOOLS  
FINGERTIP KNIFE/PEN**

Special knife for the fingers that makes precision cuts possible.



**SMT-2401 | ALUMINIUM TRASH  
BLADE CONTAINER(FIT FOR  
9MM, 18MM, 30°, 60° ANGLE  
BLADE)**

Tired of having pieces of blades lying on the floor? Use this pocket-sized aluminum alloy tool to break blades quickly and safely.



**SMT-2402 | YELLOTOOLS  
BLADEBREAKER II**

Do away with pieces of blades lying around, this tool will keep them safely in one place.



**SMT-2412 | SENSORCUT FLEXI**

With this car wrapping tool you get a PDC sensor template, with which you can easily cut out diameters of 13-25mm.



**SMT-2413 F | WRAP GUARD CUTTER**

A special knife that will change the way you work and reduce damage to vehicle paintwork, seling rubbers or unpainted attachments



**SMT-2300 | KNIFELESS TAPE  
FINISH LINE 50M**

Finish Line Knifeless Tape is a product that can be used to cut vinyl graphic films and vehicle wrap films without using a knife. Used for most wrap applications. Conformable around bumpers, door handles, mirrors, etc.




**SMT-2302 | KNIFELESS TAPE  
DESIGN LINE 50M**

Allows stretching, follows contours and turns easily in any direction. Excellent for creating designs & stripes with no extra steps required to achieve a perfect cut.



**SMT-2305 | KNIFELESS TAPE  
PRECISION LINE 50M**

Precisely and efficiently cut through graphic film without a knife and without surface damage to create a clean cut.




**SMT-2404 | YELLOTOOLS  
CUTGRIP**

Universal handle for knives, for both the left- and right-handed.




**SMT-2405 | YELLOTOOLS  
WRAPBEND-IT FLEXIBLE WIRE**

It copies the contours and outer dimensions of shapes and transfer them to the film.



**SMT-2410 | METAL TRIANGLE  
RULER**

Triangle-shaped metallic rule with 45 and 90° corners and built in circles.




**SMT-2406 | YELLOTOOLS  
FINELINE 6MM x 33M**

Matt polipropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.



**SMT-2407 | YELLOTTOLS  
FINELINE MASKING TAPE  
3MM x 33M**

Matt polipropilene masking tape, easy to form, taking up curves easily and not breaking. Makes cutting safer.



**SMT-2419 | PROCORNER TOOL**

Procorner tool for PPF cutting for small corners, angles and parking sensors



**SMT-2310 | WRAPCUT 3MM X 60M**

WrapCut edge cutting tapes were designed for cutting decorative and car wrapping films without a knife. SMT-2310 has a 3mm wide, red, low adhesive tape, and out of the WrapCut range, SMT-2310 is the most suitable for cutting curves. With the fine cutting filament always at the very edge of the tape, WrapCut prevents errors in cutting location, producing a perfect cut every time.



**SMT-2311 | WRAPCUT PRO 4MM X 45M**

WrapCut edge cutting tapes were designed for cutting decorative and car wrapping films without a knife. SMT-2311 has a 4mm wide, white, strong adhesive tape. Its fiber cutting filament is stronger than that of SMT-2310. The significant increase in adhesive strength permits positive attachment to difficult surfaces and creates instant tack to the surface but lifts cleanly and easily for re-positioning.



**SMT-2312 | WRAPCUT WIRE 4MM X 45M**

WrapCut edge cutting tapes were designed for cutting decorative and car wrapping films without a knife. SMT-2312 has a 4mm wide, white, strong adhesive tape, and a wire cutting filament, thanks to which it provides the strongest and cleanest cut out of the WrapCut range but is less suitable for cutting curves than SMT-2310. WrapCut Wire can be used to cut vinyl, carbon fiber, paint protection film, and everything in between. The strong wire filament produces the cleanest cuts yet.



**SMT-3100 | AVERY SQUEEGEE PRO**

The Squeegee Pro is a medium flex squeegee, and a highly effective tool for flat or slightly curved surfaces. A great choice for vehicle wraps and day-to-day applications like wall panels.

**SMT-3101 | AVERY SQUEEGEE PRO FLEXIBLE**

The Squeegee Pro Flexible is a softer and more flexible version of the SMT-1300, an excellent choice for curved applications such as wheel arches and car bonnets / bumpers.

**SMT-3102 | AVERY SQUEEGEE PRO RIGID**

The Squeegee Pro Rigid is the most rigid squeegee in Avery Dennison's collection, specially designed for flat application of thick and rigid high-performance products, such as Conform Chrome films.



**SMT-3103 | 3M GOLD**

3M Gold Squeegee is used for applying window film, vinyl graphics, paint protection films and vehicle wrap films. The Gold card is less flexible than the SMT-3104.

**SMT-3104 | 3M BLUE**

3M Blue Squeegee is used for applying window film, vinyl graphics, paint protection films and vehicle wrap films. The Blue card is more flexible than the SMT-3103.

**SMT-3110 | NYLON SQUEEGEE**

This nylon-coated, extra durable squeegee ideal for most medium and heavy weight films, graphics, vinyl, tapes.



**SMT-3121 | UNIVERSAL SQUEEGEE**


Basic, 4" bondo card for multiple uses. This universal card features a firm flex and can be used on window film, vinyl graphics, paint protection films and vehicle wraps.

**SMT-3111 | ECO SQUEEGEE**

A high-quality, economical squeegee for general use. Ideal for light to medium weight graphic film, vinyl, tape, and pressure-sensitive applications.

**SMT-3126 | GREEN SOFT FLEX SQUEEGEE**

A unique squeegee made from the mixture of rubber and plastic, with outstanding flexibility. Especially applicable with curved surfaces.




**SMT-3100YT | YELLOTOOLS PROBASIC BLUE 4" SQUEEGEE**

**SMT-3101YT | YELLOTOOLS PROBASIC GREEN 4" SQUEEGEE**

The YelloTools ProBasic is a 10 cm wide squeegee with different radii at the squeegee corners. ProBasic Blue: 62 „hardness,

Recommended felt:  
 Monkey Strips (SMT-3423, SMT-3424, SMT-3425)  
 YelloStripe BigBuffer Micro 3 (SMT-3491, wet installation)  
 YelloStripe BigBuffer Microfine 3 (SMT-3492, wet installation)  
 YelloStripe SlimSkin MicroFine 3 (SMT-3493, dry installation)  
 YelloStripe SlimSkin Micro 3 (SMT-3494, dry installation)




**SMT-3122 | YELLOTOOLS PROWRAP BLUE 62" TRAPEZOIDAL SQUEEGEE**

**SMT-3123 | YELLOTOOLS PROWRAP GREEN 40" SOFT, TRAPEZOIDAL SQUEEGEE**

The ProWrap Blue Squeegee is more suitable for car wrapping due to its trapezoidal shape. 62 „hardness, 40 „hardness

Recommended felt:  
 Monkey Strips (SMT-3423, SMT-3424, SMT-3425)  
 YelloStripe BigBuffer Micro 3 (SMT-3491, wet installation)  
 YelloStripe BigBuffer Microfine 3 (SMT-3492, wet installation)  
 YelloStripe SlimSkin MicroFine 3 (SMT-3493, dry installation)  
 YelloStripe SlimSkin Micro 3 (SMT-3494, dry installation)



**SMT-3160 | YELLOTOOLS ALLSTAR BLUE**

**SMT-3161 | YELLOTOOLS ALLSTAR GOLD**

This larger squeegee can be held deeper in the palm, therefore strains your joints less with longer jobs. The curved edge helps to install without wrinkles, since the squeegee contacts the film always at 30 degrees.

**SMT-3178 | PROBASIC GOLD 4" SQUEEGEE**

**SMT-3179 | PROBASIC BLUE 4" SQUEEGEE**

The 4" Squeegee for signmaking teflon refined for higher performance with a special, smooth-sliding quality, medium-soft.



**SMT-3146 | TEFLON CARD BLUE PT**  
**SMT-3173 | TEFLON CARD PINK PT**  
**SMT-3174 | TEFLON CARD SILVER PT**  
**SMT-3175PT | TEFLON CARD PLATINA PT**

**SMT-3176 | TEFLON CARD GOLD PT**  
**SMT-3107 | TEFLON CARD BLACK PT**  
**SMT-3106 | TEFLON CARD WHITE PT**

The Fusion Hard Cards come in 7 different colors. The colors are from most flexible to least flexible, Blue, Pink, Silver, Black, Red, White and Gold. All of our Hard Cards are infused with slip agents to help them glide across their working surfaces. The Blue and Pink are designed to be softer than the hard coating on most window films so that the tool will wear instead of the film.



**SMT-3150 | YEL-LO PLEK HARD TEFLON SQUEEGEE 93" (WHITE)**  
**SMT-3147 | YEL-LO PLEK VERY SOFT, FLEXIBLE SQUEEGEE 35" (BLACK)**  
**SMT-3148 | YEL-LO PLEK MEDIUM SQUEEGEE 72" (GOLD)**  
**SMT-3149 | YEL-LO PLEK SOFT, FLEXIBLE SQUEEGEE 40" (GREEN)**

This multi-function squeegee can be used for window films, car wrapping and paint protection film installation. Suitable for narrow and slightly curved surfaces and for lifting recesses and rubber seals. 93" hard Teflon, 72" medium, 40" soft, flexible, 35" very soft, flexible



**SMT-3151 | YEL-LO PLEK BLADE GOLD SQUEEGEES**  
**SMT-3152 | YEL-LO PLEK BLADE ORANGE SQUEEGEES**

The Yel-Lo Plek Blade is an even thinner version than the Yel-Lo Plek squeegees. This makes it even easier with this special squeegee to perform applications in narrow bodywork areas and small corners. It can also be used to lift a wide variety of rubber seals or to work paint protection films into bumper recesses.



**SMT-3105 | LIL CHIZLER**

Ideal for removing decals, film or adhesive from sensitive surfaces. Used for pressing down small film creases or air bubbles.

**HINT:** You can also use this tool for cleaning barbeque, no kiddin'.


**SMT-3109 | THE CHIZZLER**

One sized polycarbonate tool has proven invaluable for removing materials and applying others in tight corners.

**HINT:** Has a rigid edge and harder than the Lil Chizler, not as sharp, but much more durable.

**SMT-3140 | DURA CHISEL**

Plastic card with a strengthened edge for film removal. Similar to Lil Chizler but with a thicker edge.




**SMT-3145 | YELLOW CHISLER SOFT**

Small, very flexible squeegee for hard-to-reach spots



**SMT-3113 | THE CONQUERER**

The Conquerer is the original corner reach tool. Features a soft squeegee blade along one edge and point hard card tips on the ends making it a versatile staple to any tool kit.




**SMT-3114 | BLUE CONQUERER**

Similar to the original Conquerer (SMT-3113) with a slightly harder durometer for more squeegeeing power.



**SMT-3186 | FELTBLOC 050S FELT SQUEEGEE**

The soft felt is designed to avoid scratching. Recommended for paint protection or vinyl graphic installations.




**SMT-3119 | EZ REACH**

With smooth edges and a precision point, this tool will enable you to lay down the film and push out creases in the tightest areas.



**SMT-3120 | GREEN CONTOUR**

Designed to match all those concave surfaces installers see every day. A great fit for window film, paint protection or vinyl installs. The elongated triangular shape gets into all those hard-to-reach areas.



**SMT-3125 | CONTOUR YELLOW**


A universal squeegee which can be used for any film. It is especially popular with window tinters.

**SMT-3143 | PLATINUM CONTOUR**

Universal squeegee, popular with window film installers

**SMT-3112W | GASKET PUSH STICK**

This tool is used for pushing down door window gaskets to assist in film installation on roll down windows.



**SMT-3112B | GASKET PUSH STICK, BLUE**

This is used for pushing down door window gaskets to assist in film installation on roll down windows.

**SMT-3115 | SOTT THE HUSTLER**

This cleverly shaped squeegee is a must for every installer. Its different sides make it extremely practical for pushing film under rubbers, into mirror housings or around roof racks without damaging the film.

**SMT-3116 | THE FACTOTUM II**

The Factotum is the ultimate solution for those hard-to-reach spots that every installer encounters regularly. Both ends have different shapes so no crevice or gap poses a problem for this amazingly useful instrument. Strong and flexible.



**SMT-3162 | YELLOTOOLS PROWRAP BETTY S32**

**SMT-3163 | YELLOTOOLS PROWRAP BETTY S40**

**SMT-3117 | YELLOTOOLS PROWRAP BETTY S65**

The Pro Wrap Betty has been specially developed for car wrapping, thanks to the new 30° shape. Available in the following variants: Betty S32: 32 Shore D Betty S40: 40 Shore D Betty S65: 65 Shore D Recommended squeegee pads for this: SMT-3473, SMT-3474.




**SMT-3184 | YELLOTOOLS APE DUO RED SQUEEGEE**

The squeegee fits perfectly in your hand and you feel comfortable with it right away. The two-layer construction gives stability and flexibility at the same time. Different edges of 30, 45 and 90 degrees allow different pressures to be applied. When window tinting, the liquid can be optimally worked out of the film and by simply turning the squeegee, the pressure can easily be increased. DuoGreen is harder, DuoRed is the softer version of this professional squeegee.

**SMT-3185 | YELLOTOOLS APE DUO GREEN SQUEEGEE**

**SMT-3182 | PPF SANDWICH 4" SQUEEGEE**

This squeegee, which is actually unusually thin for PPF or tinted film applications, is nevertheless stable enough to exert optimum pressure on the squeegee edge.



**SMT-3194 | GREEN PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS**

**SMT-3196 | BLUE PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS**

**SMT-3195 | YELLOW PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS**

**SMT-3188 | PINK PPF SQUEEGEE FOR PAINT PROTECTION FILM APPLICATIONS**

This Green PPF specifically recommended for paint protection film applications

Green 85 durometer    Blue 88 durometer    Pink 90 durometer, soft    Yellow 80 durometer, soft



**SMT-3314 | APE FOAM POTION 1LITER**

Perfectly coordinated bonding aid for paint protection films. Using this pH-neutral liquid for the installation of PPF is unparalleled! Biodegradable, skin-friendly and clinically tested. It allows fast adhesion after scraping; it contains no alcohol; it can be washed out very easily. Great to use with an Ape Duo Green or Ape Duo Red squeegee.

**SMT-3315 | APE APPLE POTION 1LITER**

Perfectly coordinated bonding aid for paint protection films. This liquid allows the film to "glide" perfectly on the one hand and on the other hand to fix and adhere quickly if desired. Even the removal of the film after a short time is possible without problems and makes possible corrections easier. Biodegradable, skin-friendly, pH-neutral, and clinically tested. Great to use with an Ape Duo Green or Ape Duo Red squeegee.



**SMT- 3168-15 | PPF HORNET 15CM**  
**SMT- 3168-10 | PPF HORNET 10CM**

**SMT- 3168-5 | PPF HORNET 5CM**  
**SMT- 3168-1,2 | PPF HORNET 1,2CM**

With the appearance of hydrophobic paint protection films, installers are in need of softer and more sliding squeegees. From this realization was PPF Hornet born, 2 softer squeegees molded on a harder carrier. Available in 4 sizes.




**SMT-3308 | ORGANIC PPF GEL 5L**

Application gel developed for PPF. This gel has been developed to assure the least exposure to harmful chemicals of our fellow installers. Most products in the industry have a vast percentage of isopropyl alcohol (IPA) among their ingredients, our aim when developing the Organic PPF Gel was to find a much more installer friendly solution for installing.

**SMT-3302 | DE-TACK SOLUTION**

Specially formulated to decrease the initial tack of the adhesive to the surface. Spray on a microfiber towel, then apply onto the surface and wipe off the edges, cca. 1-2 cm from the sides with alcohol cleaner sprayed onto another cloth. Wait till it dries, then begin the installation. The De-Tack Solution will evaporate from beneath the film in about 1-2 weeks time, ensuring the maximum grip on flat surfaces as well. During installation you should not notice any squeegee and lift lines. If tack is still too strong, you can apply more layers of the De-Tack Solution.



**SMT-3224 | THE REACH SQUEEGEE**


For sedan cars, squeegeeing at the bottom of the rear windshield is a very hard task. This revolutionary tool makes it so far the easiest to finish the material at hard-to-reach spots.

**SMT-3258 | MAGNUM RED LINE SQUEEGEE BLADE**

This giant squeegee was developed to make tinting easier on hard-to-reach rear windshields. Paired with the Fusion Auto Stretch handle, it is currently the most effective combination in the industry.

**SMT-3296 | FUSION AUTO STRETCH COMBO HANDLE & SQUEEGEE**

The newest squeegee from Fusion Tools, developed specifically for hard-to-reach rear windshields. Compared to this, all previous solutions are just toys.



**SMT-3215 | SCRUBBER**

With the help of this tool, you can reach behind speakers and brake lights, and also remove adhesive residue from the lower section of curved rear windows.

**SMT-3164 | YELLOTOOLS YELLOWMINI HANG-LOOSE 45**

Squeegee for hard-to-reach areas.

**SMT-3165 | YELLOTOOLS YELLOWMINI HANG-LOOSE 90**

Squeegee for hard-to-reach areas.



**SMT-3166 | YELLOTOOLS ALLSTAR BLUE**

Squeegee for hard-to-reach areas with a unique shape.

**SMT-3167 | YELLOTOOLS YELLOWMINI GOLD**

Squeegee for hard-to-reach areas with a unique shape.

**MT-3200 | 5-EDGED TOOL**

The 5-Way Tool is great as a trim guide or wrap it in a paper towel to use it as a „bump tool“ to get water out

# ProToolsNow.com

ONE GREAT SITE FOR TOOLING AROUND

Pro Tools Now, designed by Bob Williams, has been helping installers since 1991. Every tool is designed personally by **Bob, who has been an installer himself for 30 years**, which means his tools are born out of practical needs. **Pro Tools Now is constantly developing as automotive shapes become more complex; at the same time**, beside tools for window films, PPF and wrapping accessories have also been introduced.



**SMT-3427 | SUNNY TUCKER**

Sunny Tucker is a tool specially designed for car wrapping. One end is perfectly fit for squeegeeing hard-to-reach edges, such as edges at doors and around headlights. The other end also makes squeegeeing easier at hard-to-reach spots.



**SMT-3128 | 4" SPEED WING LIME**   **SMT-3130 | 4" SPEED WING LEMON**   **SMT-3132 | 4" SPEED WING CHERRY**  
**SMT-3129 | 6" SPEED WING LIME**   **SMT-3131 | 6" SPEED WING LEMON**   **SMT-3133 | 6" SPEED WING CHERRY**

Squeegee with one straight and one slightly curved side, made from high quality materials for good slidability. Available in 10 cm and 15 cm versions



**SMT-3134 | GRIP-N-GLIDE YELLOW**   **SMT-3136 | GRIP-N-GLIDE YELLOW BLADE**  
**SMT-3135 | GRIP-N-GLIDE ORANGE**   **SMT-3137 | GRIP-N-GLIDE ORANGE BLADE**

Grip-N-Glide features an ergonomic handle with a high performance, interchangeable blade. For window film, car wrap and PPF applications.



**SMT-3201 | RED TITAN**

Allows longer reach, has a rigid structure for more water removal, and its unique design will easily lift inner and upper door seals.

**SMT-3202 | SLAMMER**

Used for cleaning corners and along gaskets and wicking water out along borders. Easily reaches rear windows and sharp angled corners.


**SMT-3203 | QUICK FOOT BLUE**

A stiff squeegee with a handle for jobs that require medium reach. Slim and trim with an unwrapped handle.



**SMT-3207 | BULLDOZER**  
**SMT-3207G | GREEN BULLDOZER**  
**SMT-3207 ECO | BULLDOZER ECO**

The Bulldozer is used in automotive applications. It allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 15 cm squeegee blade and is 38 cm in overall length.



**SMT-3206 | SIDE SWIPER**

This squeegee is ideal for getting behind brake lights and in lower areas of rear windows.

**SMT-3208 | SLIM FOOT**

The slim foot has a slender design than can reach into tighter openings. This no rib squeegee helps reach behind brake lights and has a vinyl grip for secure handling.

**SMT-3209 | SILVER SECURITY SQUEEGEE**

This comfortable, ergonomic handle is designed especially for security film installation. The curved handle applies more pressure to surface, reducing fatigue and ensuring easier, better installations.



**SMT-3210 | SILVER SECURITY BLADE**


8" Blue Squeegee Blade replacement for the 8" Silver Security Squeegee (SMT-3209).

**SMT-3214 | AVERY FLEXTREME**

The FleXtreme is a micro-squeegee specifically designed for vinyl graphics applications. The blue (harder) one is for narrow curves and edges. The red (softer) one is ideal in narrow, concave parts of a car.

**SMT-3214ECO | TUCKING TOOL SET**

The squeegee kit with three different hardnesses (blue - soft; red - medium; black - hard) was developed to reach hard-to-reach places, makes the work more enjoyable and faster, while also eliminating the need to remove certain elements.



**SMT-3214BU | SINGLE TUCKING TOOL SOFT**  
**SMT-3214R | SINGLE TUCKING TOOL MEDIUM HARDNESS**  
**SMT-3214BK | SINGLE TUCKING TOOL HARD**

The separate part of the SMT-3214 ECO, developed for using the squeegee in hard-to-reach places, makes the work more enjoyable and faster, while also eliminating the need to remove certain elements.



**SMT-3226-20 | FUSION HANDLE 20CM**  
**SMT-3226-12,5 | FUSION HANDLE 12,5CM**  
**SMT-3226-12,5S | FUSION HANDLE SHORT 12,5CM**

Especially developed for Fusion Tools squeegees, this handle provides maximum power. Available for 12,5 cm and 20 cm squeegee blades as well as shorter version for 12,5 cm wide squeegees.



**SMT-3291-20 | FUSION BIG MOUTH HANDLE 20CM**  
**SMT-3291-12,5 | FUSION BIG MOUTH HANDLE 12,5CM**

A high quality handle designed for the Red Line Extractor 3/8" thick blades to squeegee the thickest security films.

**SMT-3292-20 | FUSION STRETCH 20CM**  
**SMT-3292-12,5 | FUSION STRETCH 12,5CM**

Special extended handle, 37 cm long ideal for 12,5 cm wide Fusion squeegee blades, enables you to apply pressure with 2 hands, resulting in even better water removal.

**SMT-3293-20 | FUSION BIG MOUTH STRETCH 20CM**  
**SMT-3293-12,5 | FUSION BIG MOUTH STRETCH 12,5CM**

Extended (37 cm) squeegee handle, enabling application of pressure with 2 hands. Recommended for anti graffiti, thick security and front windshield protection films



**SMT-3294 | FUSION 5 SHORTY**


With a shorter handle and no parts standing out of the design, the Fusion 5 Shorty was specifically developed for automotive tinting. With this handle you can get into hard-to-reach spaces a lot easier, without damaging any parts.

**SMT-3297 | CAST ALUMINIUM HANDLE FOR SMT-3222ECO**

Cast aluminum grip with short handle for the SMT-3222ECO squeegee.

**SMT-3298 | CAST ALUMINIUM LONG HANDLE FOR SMT-3222ECO**

Cast aluminum grip with long handle for the SMT-3222ECO squeegee.




**SMT-3256-20 | FUSION ORANGE CRUSH, BEVEL, 20CM**  
**SMT-3256-12,5 | FUSION ORANGE CRUSH, BEVEL, 12,5CM**

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.

**SMT-3225 | FUSION ORANGE CRUSH, CROPPED, 12,5CM**

The Orange Crush is the original squeegee blade from Fusion Tools. Since its creation we have continued to better the formula for the Orange Crush, thus Orange Crush remained one of the favourite squeegees of the industry.




**SMT-3257 | FUSION CLEAR CRUSH, BEVEL, 12,5CM**

Designed for automotive window film installation, flexible enough to follow the form of the windscreen, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.

**SMT-3254-20 | FUSION FLAT OUT, BEVEL, 20CM**  
**SMT-3254-12,5 | FUSION FLAT OUT, BEVEL, 12,5CM**

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.




**SMT-3227 | FUSION FLAT OUT, CROPPED, 12,5CM**

Specially developed for architectural window film installation, an industry standard for thick films such as security and graffiti films. This 95 durometer squeegee is made with our triple slip additive injection molded patented TPU process and materials. Fits all standard Fusion Handles perfectly.

**SMT-3255-20 | FUSION THE HYBRID, BEVEL, 20CM**  
**SMT-3255-12,5 | FUSION THE HYBRID, BEVEL, 12,5CM**


A Hybrid of 2 favourite squeegee blades in the industry, on one side it is an Orange 85 durometer squeegee blade and on the other side a harder Blue 95 durometer. This double blade features double beveled working edges.



**SMT-3250-20 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 20CM**  
**SMT-3250-12,5 | FUSION RED LINE EXTRACTOR 1/4", BEVEL, 12,5CM**

The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.

**SMT-3251-12,5 | FUSION RED LINE EXTRACTOR 1/4", CROPPED, 12,5CM**




**SMT-3252-20 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 20CM**  
**SMT-3252-12,5 | FUSION RED LINE EXTRACTOR 1/4", NO BEVEL, 20CM**

The Fusion Red Line normal thickness squeegees are the masters of water removal. Double beveled means that both sides can be used, resulting in double lifespan. No bevel profile gives you 4 edges to work with and is capable of extreme liquid removal, especially when working with thicker films. Using these blades in Fusion Handles will give you a tool that is efficient and fast to work with.

**SMT-3253-20 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 20CM**  
**SMT-3253-12,5 | FUSION RED LINE EXTRACTOR 3/8", NO BEVEL, 12,5CM**


50% thicker than the normal Red Line Extractor series, especially designed for thicker safety and security films. Provides the highest water removal in the industry. Made to accompany our Fusion Big Mouth Handles.



**SMT- 3280-9** | FUSION TURBO PRO HANDLE  
WHITE 9CM  
**SMT- 3280-14** | FUSION TURBO PRO HANDLE  
WHITE 14CM  
**SMT- 3280-20** | FUSION TURBO PRO HANDLE  
WHITE 20CM

**SMT- 3281-9** | FUSION TURBO PRO HANDLE  
GREY 9CM  
**SMT- 3281-14** | FUSION TRUBO PRO HANDLE  
GREY 14CM  
**SMT- 3281-20** | FUSION TRUBO PRO HANDLE  
GREY 20CM

The Fusion Turbo Pro series is the first injection molded triangular shaped squeegee in the world, which shows better slip, durability and more consistency than other models. All colors are available in 3 sizes (9, 14, 20 cm), any can be cut to custom size. Two different handles are available. The narrower white handle for those who prefer grabbing with fingertips and the larger grey handle, for those who prefer to hold it in their hand.



**SMT- 3270-9** | FUSION TURBO  
PRO PINK 9CM  
**SMT- 3270-14** | FUSION TURBO  
PRO PINK 14CM  
**SMT- 3270-20** | FUSION TURBO  
PRO PINK 20CM

**SMT-3271-9** | FUSION TURBO  
PRO GREEN 9CM  
**SMT-3271-14** | FUSION TURBO  
PRO GREEN 14CM  
**SMT-3271-20** | FUSION TURBO  
PRO GREEN 20CM

**SMT-3272-9** | FUSION TURBO  
PRO BLACK 9CM  
**SMT-3272-14** | FUSION TURBO  
PRO BLACK 14CM  
**SMT-3272-20** | FUSION TURBO  
PRO BLACK 20CM



**SMT- 3273-9** | FUSION TURBO  
PRO YELLOW 9CM  
**SMT- 3273-14** | FUSION TURBO  
PRO YELLOW 14CM  
**SMT- 3273-20** | FUSION TURBO  
PRO YELLOW 20CM

**SMT- 3274-9** | FUSION TURBO  
PRO ORANGE 9CM  
**SMT- 3274-14** | FUSION TURBO  
PRO ORANGE 14CM  
**SMT- 3274-20** | FUSION TURBO  
PRO ORANGE 20CM

**SMT- 3275-9** | FUSION TURBO  
PRO RED 9CM  
**SMT- 3275-14** | FUSION TURBO  
PRO RED 14CM  
**SMT- 3275-20** | FUSION TURBO  
PRO RED 20CM



**SMT-3213** | UNGER + BLUE MAX  
Ready-to-use installation squeegee that uses angled Blue Max (SMT-3211) and specially modified Unger Pro handle.

**SMT-3211** | BLUE MAX  
Installation squeegee for automotive and flat glass applications. Stiffer than SMT-3212, so this tool is excellent for water removal.

**SMT-3222** | 5" BLUE MAX  
SQUEEGEE, STRAIGHT  
One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. Slanted, straight edge



**SMT-3222ECO** | BLUE MAX  
BLADE  
One of the basic tools of professionals working with window films, this is a squeegee that is very similar to the Blue Max. Perfectly suitable for displacing large amounts of water during installation. Cropped edge version with straight sides.

**SMT-3223** | 5" BLUE MAX  
SQUEEGEE, SQUARE  
One of the basic tools of the window film professional. Blue Max can be used very well to remove large quantities of water during installation. The square-edged squeegee is even stronger, recommended specifically for safety films

**SMT-3218** | THE EXTRUDER  
Aluminium profile to be fit into an Unger handle (SMT-1300), which provides an extra wide, 20-cm squeegee head and good stiffness. The handle and squeegee refills are available separately. Channel refill: SMT-3219.



**SMT-3219** | 8" BLUE CHANNEL  
SQUEEGEE REFILL  
Squeegee refill for The Extruder (SMT-3218).

**SMT-3234** | STROKE DOCTOR  
Thanks to its special form this tool can bring even pressure when applied in hard-to-reach spaces. Combined with the special Fusion blades (SMT-3235, SMT-3236) the efficiency can be further increased.



PPF



PPF



PPF

**SMT-3228 | FUSION HAND DEE**

With regular squeegee handles it was impossible to get to hard-to-reach places, thus the Fusion Hand Dee was born. As this handle is also widely used to squeegee paint protection film, we added 2 magnets that help to keep the film in position before squeegeeing.

**SMT-3229 | FUSION PINK CLEAN, CROPPED, 12,5CM**


The Pink Clean is the softest squeegee blade with Fusion Tools, specifically designed extremely flexible to easily conform to curved surfaces while squeegeeing. We recommend this blade for cleaning and squeegeeing purposes.

**SMT-3170 | FUSION PPF BLACK OUT, CROPPED, 12,5 CM**

Especially developed for paint protection films. The PPF Black Out features a high content of slip additives to help the tool slide easily across paint protection films.



PPF



PPF

**SMT-3171 | FUSION PPF BLACK OUT, BEVEL, 12,5CM**

Squeegee designed for paint protection film installations with additives promoting slideability. It fits into the Fusion Hand Dee handle.

**SMT-3230 | FUSION CLEAR CRUSH, CROPPED, 12,5CM**

Designed for automotive window film installation, flexible enough to follow the form of the windscreen, yet stiff enough to bring the pressure for water removal. Available in rectangle and cropped.



NEW

**SMT-3415XL | 9,5L PRESSURE TANK**

Do you need to install PPF on an entire car? Working on a larger building project? Mix in the solution once and use this high-pressure compressor sprayer for the entire job. Capacity: 9.5 liters.

NEW



**SMT-3415XXL | 19L PRESSURE TANK**

Do you need to install ppf on an entire car? Working on a larger building project? Mix in the solution once and use this high-pressure compressor sprayer for the entire job. Capacity: 19 liters.



**SMT-3419 | SOTT WATERBOMB HIGH PRESSURE SPRAYER**


The SOTT Waterbomb is a professional high-pressure sprayer ideal for window film and PPF installation. It is a must-have for any installer who wants to work more efficiently.



NEW


**SMT-3489 | STRONG HANDLE METAL NOZZLE, 4 METERS HOSE, 1 CONNECTION PART**

Professional extension tube with metal nozzle at the end, additional accessory for SMT-3415XL and XXL. Length: 4 meters




**SMT-3259 | MAGNETIC WRAP STICK**


The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



**SMT-3260 | MAGNETIC WRAP STICK**




**SMT-3261 | MAGNETIC WRAP STICK**



**SMT-3262 | MAGNETIC WRAP STICK**


The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



**SMT-3263 | MAGNETIC WRAP STICK**



**SMT-3264 | MAGNETIC WRAP STICK**



**SMT-3265 | MAGNETIC WRAP STICK**

The WrapStick series was developed for squeegeeing at hard-to-reach spots. It makes your job more beautiful and easier, and also makes it unnecessary to remove certain elements.



**SMT-3300 | SOTT ADHESIVE ACTIVATOR PRIMER, 100ML**

A special primer developed for films, Adhesive Activator neutralizes the silicone content of water-based paintworks, ensuring adequate adhesion to blind windows.



**SMT-3403 | BLACK RUBBER SQUEEGEE**

71 cm Squeegee tool used for glass cleaning, usually cut into smaller lengths before use.



40cm

**SMT-4308-40 | YELLOWTOOLS LOWRIDER EXTENSION CHAIR, 40 CM**

This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 40 cm.



25cm

**SMT-4308-25 | YELLOWTOOLS LOWRIDER EXTENSION CHAIR, 25 CM**

This extension chair is fully compatible with the YellowTools LowRider chair and can be used to extend the height by 25 cm.



**SMT-4308 | YELLOTOOLS LOWRIDER CHAIR**

Special chair developed for car wrapping, with wheels, magnet holders and storage space for tools. The low construction makes wrapping bumpers and skirts a lot more comfortable. With accessories, the height is adjustable.



**SMT-3431 | CARBON FIBER ANTI-STATIC GLOVE, SIZE XL**

The glove is made of carbon fiber, with strong elasticity and moisture absorption. Due to its dust- and non-slip surface, it can be used for any kind of film installation, preventing the formation of dirt during the work process. Packed individually.



**SMT-3412 | SOTT APPLICATION GLOVES - LARGE**

Thanks to its white material, this application glove helps you to check whether the surface and/or the vinyl is clean. It is a perfect fit, which makes it practical for dealing with curved surfaces on cars. It is made of dust-free material, so even touching the adhesive of the vinyl will not cause any residue to be left behind.



**SMT-3416 | THICK WRAP GLOVE 24CM LENGHT**

The wrapping gloves are made of thick, cotton material. These products are also cut- and heat resistant. It helps to smooth the film on the surface and curves.



**SMT-3420L | WRAPGLOVE SMT-3420XL | WRAPGLOVE**

WrapGlove, highly praised by the signage industry, is now available in Europe. Try the original WrapGloves, manufactured in the USA.

**HINT: These are some real durable wrapping gloves.**



**SMT-3454S/M/L/XL | SUPERGLOVE**

The first gloves for the graphics industry that don't need to be wet, they slide perfectly also when dry. Extra durable, washable. Available in 4 sizes.



**SMT-3404 | AVERY GLOVES**

The Application Glove is a soft, seamless cotton glove that helps smooth graphics over the application surface and into curves and recesses. Packed individually.



**SMT-3418G**  
**SMT-3418R**  
**SMT-3418Y**  
**SMT-3418B** | **KWAZAR MERCURY PRO+ SUPER 360 SPRAYER, 1L**

A revolutionary novelty among sprayers, sprays also when the handle is released, and thanks to its flexible, weighted hose, even upside down. Capacity: 1L



**SMT- 3479** | **KWAZAR MERCURY PRO+ SUPER 360 SPRAYER 0.5L**

While working on an installation, sprayers are often used tilted or upside down. This professional tool has a flexible hose, so it can be used upside down as well. It sprays also when the handle is released, which means half as many spray movements as with regular ones. Capacity: 0.5L



**SMT- 3480**  
**SMT- 3482** | **KWAZAR VENUS PRO+ SUPER 360 SPRAYER 1L/2L**

Professional pump sprayer that keeps pressure very well. Thanks to its flexible hose, it can also be used upside down. With its adjustable nozzle, you can spray anywhere. This tool has an extra durable tank. Capacity: 1L,2L



**SMT- 3481** | **KWAZAR ORION PRO+ SPRAYER 12L**

Will you install PPF on a full car? Are you working on a large surface architectural job? Mix the solution once and use the Kwazar Orion pump sprayer for the whole job. Capacity: 12L



**SMT-3484** | **KWAZAR VENUS PRO+ SOLVENT SPRAYER 1,5L**

It is used for solvent applications in car workshops, paint shops and industry. Very well suited for degreasing of brake discs and mechanical parts, removing silicone and wax from surfaces.



**SMT-3483** | **KWAZAR VENUS HD2 FOAMER BOX**

Designed for application of foaming agents. It is used in car washes and car repair shops, particularly for car pre-washing or cleaning the rims and engine compartments. It can also be used for spot cleaning of building facades. Includes 3 tips for thick, medium and thin foam.



**SMT-3401** | **HARD CARD SHARPNER**

This handy device allows you to sharpen the edges of nearly any hard card, teflon card or bondo card in your tool box in a matter of seconds.




**SMT- 3439** | **SMOOTH-IT BALCK**

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The black version is intended for more serious damages. Replacement insert: SMT-3441




**SMT-3440** | **SMOOTH-IT GREY**

A tool for restoring squeegee edges. With fine tension, move the squeegee up and down to restore its edges. The grey version is intended for light damages. Replacement insert: SMT-3442



**SMT-3441** | **SMOOTH-IT SPARE MATS, BLACK**

Replacement insert for SMT-3439. Black, intended for more serious damages.




**SMT-3442** | **SMOOTH-IT SPARE MATS, GREY**

Replacement insert for SMT-3440. Grey, intended for light damages.



**SMT-3446** | **YELLOTOOLS YELLOQUICK STICK**

With this well balanced surface-tension pen, you get a perfect idea of the tension of your surface. This way you will have proof if you are ready to go or if you have to re-clean again.



**SMT-3405** | **AVERY MAGNET**

The Magnet is a highly practical aid for holding and positioning graphics on a substrate. The strength of magnetic attraction is sufficient to replace masking tape.




**SMT-3433** | **VINYL MAGNET HOLDER**

Magnet for film positioning, for a reasonable price




**SMT-3434** | **LARGE HOLDING MAGNET**

Extra strong, large magnet to fix large film pieces or to store tools.



**SMT-3443 | SOAK SHIELD ROPE-ORIGINAL**

Absorbent rope braid used for absorbing water running down behind the dashboard of a vehicle while installing film. Helping to protect the electronics and other parts from water damage. Can be reused as many times as needed.



**SMT-3444 | SOAK SHIELD ROPE-MINI**



**SMT-3445 | SOAK SHIELD ROPE-XL**



**SMT-3460 | YELLOTOOLS LACYTIP HD L BLUE**

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



**SMT-3461 | YELLOTOOLS LACYTIP HD L TEFLON BLUE**

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.




**SMT-3462 | YELLOTOOLS LACYTIP HD XL RED**

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



**SMT-3463 | YELLOTOOLS LACYTIP HD XL TEFLON RED**

A tool to install the material under rubber sealings, seams, mouldings and other hard-to-reach spots.



**SMT-3407 | YELLOW FILM MARKER PENCIL**

Handy for three basic purposes: 1) marking film prior to installation of windows with unusual shapes; 2) circling a contaminate (hair or fiber) before pulling back the film; 3) marking film edges to check for glass movement on side roll-ups when trimming. Yellow grease mark easily wipes away.



**SMT-3408 | THIN CORRECTING PEN**

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.



**SMT-3409 | THICK CORRECTING PEN**

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.



**SMT-3410 | SELF-ADHESIVE FELT LINE, 1.9 CM**

**SMT-3411 | SELF-ADHESIVE FELT LINE, 3.8 CM**


Self-adhesive felt stripe.

**HINT: For those roll down windows that lack factory felt.**




**SMT-3204 | SOTT ROLLERPRO**

Rollepro is an excellent help if you need to laminate the film on an uneven surface: its hard spongy surface takes on any shape while providing even pressure. It is very useful for fast work on shabby surfaces, recesses (e.g. brick wall), rivets or extremely textured films (e.g. Cover Styl, Glitter).




**SMT-3449 | SUPER FINE TIP**

Weeder with a pointed tip for removals.



**SMT-3429 | WEEDING HOOK**

Special hooked tool for removals and for film finishings.



**SMT-3448 | FLAT AND ROUND TIP**

Weeder with a curved tip for removals.



**SMT-3465 | YELLOTOOLS RUBBERLIFT**

A tool to lift rubber sealings, without scratches.



**SMT-3464 | YELLOTOOLS LUCKY**

A tool for finishing the edges. Low-friction plastic for an easy use and aluminium material for durability.



**SMT-3447 | FINE TIP CURVED**

Excellent quality tweezer with a pointed tip and slanted head.



**SMT-3467 | YELLOTOOLS WRAPFINGER**

If you don't want to work in gloves but would welcome them on a finger, WrapFinger is for you.



**SMT-3496 | WRAPTWEEZER DISC**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping out.



**SMT-3497 | WRAPTWEEZER AUTOLOCK**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping. The AutoLock variant can also be locked to keep your hands as free as possible.



**SMT-3498 | WRAPTWEEZER SPADE**

A pair of tweezers with a plate-shaped tip that is serrated in such a way that it grips the film securely, so it can be pulled perfectly without slipping.



**SMT-3471 | YELLOTOOLS YELLOBRUSH**

2-in-1: a brush for finishing the film on rivets on one end, a needle to punch bubbles on the other.



**SMT-3472 | YELLOTOOLS YELLOSTRAP**

Toolstrap for the wrist with uniquely variable storage spaces.



**SMT-4301 | AVERY TOOLBELT**

With the help of Avery Toolbelt, your tools will always be at hand, you will not have to run around looking for them.



**SMT-3490 | YELLOSTRIPE FELT 3 METER**

Thick, padded self-adhesive felt. Recommended for wet installation, for lamination on soft plastic boards.



**SMT-3491 | YELLOSTRIPE BIG-BUFFER MICRO 3 METER**

Thick, padded self-adhesive felt. Recommended for wet installation, alcantara-type, for lamination on even surfaces.



**SMT-3492 | YELLOSTRIPE BIG-BUFFER MICROFINE 3 METER**

Thick, padded self-adhesive felt. Recommended for wet installation, for laminating films with sensitive surfaces.



**SMT-3493 | YELLOSTRIPE SLIMSKIN MICROFINE 3 METER**

Thin layer self-adhesive felt. Recommended for dry installation, for laminating films with sensitive surfaces.



**SMT-3494 | YELLOSTRIPE SLIMSKIN MICRO 3 METER**

Thin layer self-adhesive felt. Recommended for dry installation, alcantara-type, for lamination on even surfaces.



**SMT-3468 | SELF-ADHESIVE FELT FOR SMT-3260**

Felt specifically developed for car wrapping films, for SMT-3260.



**SMT-3469 | SELF-ADHESIVE FELT FOR SMT-3263**

Felt specifically developed for car wrapping films, for SMT-3263.



**SMT-3470 | SELF-ADHESIVE FELT FOR SMT-3261**

Felt specifically developed for car wrapping films, for SMT-3261.



**SMT-3422 | THE MONKEY STRIP**  
**SMT-3423 | THE MONKEY STRIP**  
**SMT-3424 | THE MONKEY STRIP**  
**SMT-3425 | THE MONKEY STRIP**

Self-adhesive felt developed by a car wrapping veteran. If you've tried it once, you'll never look for another felt.



- SMT-3422: 10 pcs/pack
- SMT-3423: 25 pcs/pack
- SMT-3424: 50 pcs/pack
- SMT-3425: 100 pcs/pack

**SMT-3413 | SOTT WRAPEDGE -01**  
**1MM-SET 12 PCS**

A clean wrapping result is partly dependent on easy squeegeeing without scratching. The WrapEdge has a special moisture-absorbent sponge layer for wet work, for an even better result. 1 mm thickness.

**SMT-3414 | SOTT WRAPEDGE -02**  
**2MM-SET 12 PCS**

A clean wrapping result is partly dependent on easy squeegeeing without scratching. The WrapEdge has a special moisture-absorbent sponge layer for wet work, for an even better result. 2 mm thickness.



**SMT-3437 | YELLOTOOLS APE T-BUFFER BETTY WING FILC**

This squeegee pad is made of a multi-layer, resistant material, which is recommended for PPF films. Thanks to the extremely slippery and durable pad surface, this makes it easy to squeegee away wrinkles created when squeezing out the adhesive fluid. The flexible squeegee pad contains a thick foam backing in the adhesive layer. Recommended for ProWrap Betty squeegees.

**SMT-3473 | YELLOTOOLS YELLOWING BETTY MICRO FIBRE**

Special material for the edge of any ProWrap Betty squeegee (SMT-3162, SMT-3163).

**SMT-3474 | YELLOTOOLS YELLOWING BETTY POLY**

Special material for the edge of any ProWrap Betty squeegee (SMT-3162, SMT-3163).




**SMT-3475 | SOFT WOOL FELT**

A clean wrapping job depends in part on using the squeegee gently without scratching. For this, the soft, thick wool felt helps to achieve even better quality.



**SMT-3476 | BUFFER FELT**

Self-adhesive microfiber soft felt strip for squeegees, specially developed for sensitive materials.



**SMT-4119 | LS162 TRANSMISSION METER**

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared.



**SMT-4313 | HEAT SHEET DEMO CARD**

The Heat Sheet Temperature Demo Card vibrantly changes color when it encounters heat. To demonstrate the heat-blocking capabilities of your glass or film, use the Demonstration Card in combination with a heat lamp. The demonstration shows a dynamic color change in front of inefficient heat protection, while no color change occurs when placed in front of your heat protective window film.



**SMT-4312 | HEAT SHEET ACRYLIC STAND, FOR SMT-4313**

An Acrylic Stand designed to hold the Heat Sheet Card in place to demonstrate heat transfer.




**SMT-4314 | UV DEMONSTRATION CARD**

If you are looking for a low cost method to demonstrate the UV protection a given window film offers, consider this simple UV Demonstration Card. When it is reached by UV radiation, the card will glow visibly; behind a window film, the glowing effect will be minimized.




**SMT-4315 | FUSION STRAP CLIP TO HOLD OPEN ROLLS, 4 PCS/PACK**

Nostalgic product, rethought. This flexible ring is used to hold the cut film together and does not damage the material thanks to its silicone coating.



**SMT-4150 | GRAVELOMETER**

The Gravelometer device is intended to demonstrate the resistance of PPF materials to road debris. Rotating parts of the machine imitate the effect of road debris on a surface coated with the paint protection film, thus its protective feature will become clearly visible. CE certified device with Skyfol design.



**SMT-3495 | WRAP-U-EZEE**

With „Wrap-U-ezee” protruding vehicle parts such as exterior mirrors or door handles can be easily wrapped without a „second pair of hands”.



**SMT-4316 | PPF RECOVERY DEVICE**

Perfect device to show your clients how the self-healing performance of paint protection films work. This machine will heat up the previously scratched PPF, to demonstrate self-healing properties. Possible to personalize with your own design. CE certified device.



**SMT-3495BU | YELLOTOOLS WRAP-U-EZEE BUMPER**

The Wrap-U-ezee Bumper has been specially developed for film application on parts like bumper corners or very large parts.



**SMT-4129 | FOUR-SIDED ROTATABLE SOLAR FILM TESTER**

Rotatable, cost-effective demonstration device with glass samples for testing car glass films. With the help of the 150W infrared lamp, we can achieve visible results between tinted and untreated glass surfaces in terms of reflection, filtering UV rays and heat absorption.



**SMT-4105 | SOTT THE CORNERSEALER PEN**

CornerSealer is a practical pen-shaped device, the tip of which heats up in 10 seconds, which makes it useful for fixing the film at the edges and corners. To avoid overheating, it is enough to keep the tip on the film for a few seconds and you're done! It is important that the device is not switched on for more than 5 minutes!

It works with 2 AA batteries, which are not included in the package.



**SMT-4205 | SOTT SEALING KIT SILIRUB2 - NORMAL**

Neutral silicone sealant that can be used after exterior window film installations.



**SMT-4318 | PLASTIC MODEL - CAR-SHAPED**

Car-shaped plastic model to be used to showcase car wrapping films. It measures 70x42 cm.



**SMT-4322 | BIG SIZE METAL CAR HOOD MODEL**

A metal model in the shape of a bonnet, which is used to illustrate different films. 55 cm high, 49 cm wide.



**SMT-4323 | SMALL SIZE METAL CAR**

A metal model in the shape of a bonnet, which is used to illustrate different films. 20 cm high, 18 cm wide.




**SMT-3456 | SOAK SHIELD DOOR PANEL COVER WHITE**

Car door cover white fabric with excellent absorbency.



**SMT-4104 | FUSION AFTERBURN TAPE**

Highly heat-resistant up to 500 °C with one layer applied. Apply multiple layers to increase heat resistance. Self adhering, and it leaves no glue residue. Apply it to heat guns, steamers, etc. The tape stretches up to 300%



**SMT-4118 | EDTM SPECTRUM DETECTIVE METER**

Developed to demonstrate the performance of window films, shows the transmission of the different solar transmission ranges: ultraviolet, visible light, infrared. Runs on 9V batteries, portable.



**SMT-4114 | LASER LABS M200 TINT METER**

Developed to directly measure the light transmission of vehicle glasses.



**SMT-4117 | TINT CHECK TC1800**

Measures visible light transmission on roll down windows. Small, easy-to-use, reliable instrument.



**MT-4128 | MERLIN LAZER GLASS MEASUREMENT GAUGE**

An absolute necessity when making architectural application quotes. A laser guided glass thickness meter that will show you the thickness of the glass and air gaps. Also suitable for deciding if the glass pane is laminated or not.



**SMT-4126 | MERLIN LAZER TOUGHENED GLASS INDICATOR**

Will show you if the glass is toughened or not. A great tool when visiting sites of architectural window film proposals. Light, easy-to-use.



**SMT-4103 | STEINEL HEATGUN HG2120 7,5 M CABLE**

A heatgun from the Steinel Professional series, with enhanced power and durability. 2200W output, 80-630°C, German design, equipped with a 7,5-meter cable to work more freely.



**SMT-4102 | STEINEL HL SCAN**

Temperature scanner that shows the surface temperature of the vinyl making the heat fixing process much faster and more perfect.



**SMT-4140 | EDGE SEAL TAPE, HIGH GLOSS, ULTRA CLEAR PVC, 13MMx30M**

Special edge sealing tape, ideal for window film graphics, wrapping films and window films, especially for the sealing when the glass is larger than the roll width. High gloss, ultra clear PVC, 50 microns thick, permanent adhesive, 13mmx30M.



**SMT-4116 | THE JIFFY STEAMER**

A perfect help for installing PPF and chrome films and fixing them on the edges, as well as for removing a variety of films by softening the adhesive. This is a really durable device straight from the USA - it will work for you for a long time without any issues.




**SMT-4305 | YELLOTOOLS GLADIBELT**

A belt for heat guns - its leather protects from burns, the metallic tube leads off the heat.



**SMT-4131 | IR LAMP - INFRARED HEATER TERM2000 GLV FOR CAR WRAPPING**

This infrared heater is perfect for car wrapping. It is produced in Europe, and makes working with calendared films easier. It also helps prevent overheating and makes it possible to keep larger surfaces warm evenly.



**SMT-4132 | SAFETY SHUTTER FOR INFRARED HEATER TERM2000 GLV**

Safety Shutter for Infrared Heater TERM2000 GLV that helps prevent possible damage.

**SMT-4133 | INFRARED TUBE**

Infrared emitter Toshiba 290BSU2 to replace the original one in SMT-4131 if necessary.



**NEW**

**SMT-4200 | PLASTI DIP - BLACK**

Plasti Dip is a multi-purpose, air dry, special rubber coating. It can be easily applied by spraying.

**HINT:** If there is a white screw or a hinge on the car and you need to wrap full black, or you need to wrap a grill, it is time for Plast Dip.

**SMT-4125 GL | SET OF GLASS SAMPLES**

5 pieces of 3mm thick, deburred, clear glass samples that fit SMT-4125 Heat Box.

**SMT-4400 | GLASS HOLDER FOR 10 PCS GLASSES**

It gives an aesthetic appearance to the presentation of glass samples. Suitable for placing 10 samples.



**SMT-4125 | HEAT BOX**

Device demonstrating the infrared transmission of window films. Space for two tinted glass samples that you can put under 2 infrared bulbs, 150W each. Comes with 2 built in sensors that show the temperature as well as the temperature difference since the start of the test.



**SMT-4303L | SPEEDCLIP TO HOLD OPEN ROLLS, LARGE**  
**SMT-4303S | SPEEDCLIP TO HOLD OPEN ROLLS, SMALL**

Speedclip to hold open rolls, 8 cm an 12 cm-diameter.

**SMT-4306 | YELLOTOOLS GECKOPATCH M**

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.

**SMT-4307 | GECKOPATCH FLEXI**

With the help of this tool you can make your magnet stick to even non metallic surfaces, like plastics, glass or aluminium.



# IRISTEK PREMIUM RANGE Car Wrapping Films

The Iristek Premium range car wrapping film series brings car wrapping to a whole new level. Already over 30 PET lined super gloss and matte chrome colors are available in our selection. Iristek is one of the leading brands in Europe when it comes to special colors in the wrapping industry.